

A family-aware All of Us benchmark for polygenic prediction and genomic machine learning

Greycen Ren¹, Kaiden Wu^{2,*}, Christina Ren¹, Irura Nyiha¹, Kendall Wu^{3,*}, John Yang^{1,†}

¹Reticular, San Francisco, CA ²University of Chicago ³Harvard University

{greycen, christina, irura, john}@reticular.com, kaidenwu@uchicago.edu, kendall_wu@college.harvard.edu

October 2026

Abstract

Polygenic risk scores (PRSs) have improved substantially in predictive performance, yet results remain difficult to compare across studies that differ in cohorts, phenotype definitions, and evaluation procedures. Comparison to machine-learning methods is harder still, since their performance depends strongly on how data are partitioned and whether related individuals leak across splits. Here, we introduce a family-aware benchmark for polygenic prediction built on version 9 of the All of Us Research Program (AoU). The benchmark assigns entire family components to fixed discovery, calibration, and test partitions, reserves first-degree relatives for within-family evaluation, and separates models trained only on AoU discovery data from those using external GWAS summary statistics. This enables direct comparison between conventional PRS pipelines and machine-learning models trained under identical data budgets. We report results for 14 binary disease traits. Our strongest scores explain 5.7–24.9% of liability-scale variance, with particularly strong prediction for Alzheimer’s disease, type 2 diabetes, prostate cancer, glaucoma, and inflammatory bowel disease, and match or exceed published commercial and academic scores for most traits. For all 12 traits with sufficient cases, we see stable within-family predictive signal, with direct-to-population effect ratios between 0.86 and 1.24.

1 Introduction

Polygenic risk scores (PRSs) have become increasingly predictive, driven by larger genome-wide association studies (GWASs) [Uffelmann et al., 2021] and improved statistical methods [Privé et al., 2020, Zheng et al., 2024, Park and Chung, 2026, Williams et al., 2026]. However, reported performance is difficult to compare across studies. Most PRS methods are trained on one or more large external GWASs and evaluated in an independent cohort [Ge et al., 2019, Lloyd-Jones et al., 2019, Zheng et al., 2024], so differences in methodology are confounded with differences in discovery power, phenotype definitions, and evaluation procedures. This paradigm is appropriate for validating a fixed clinical score, but less suited for developing and comparing new methods.

Comparison to machine-learning methods is harder still. Their performance depends strongly on how data are partitioned, and can be inflated when related individuals are shared across training and evaluation sets [Jeong et al., 2025, Ellis et al., 2024]. Efforts to standardize PRS reporting [Wand et al., 2021, Lambert et al., 2021] and benchmarks of statistical methods in the UK Biobank [Sudlow

*Work conducted during an internship at Reticular.

†Corresponding author: john@reticular.com

et al., 2015, Park and Chung, 2026, Pain et al., 2021, Chen et al., 2026] have begun to address these issues, and recent work has proposed the All of Us Research Program (AoU) [The All of Us Research Program Genomics Investigators, 2024] as a resource for PRS discovery and validation [Tsuo et al., 2026, Williams et al., 2026, Das and Cui, 2026, Wu et al., 2026]. However, these works have yet to provide a reusable framework with fixed, leakage-safe data partitions that supports both internal-only and externally powered discovery, and that evaluates prediction among unrelated individuals, across ancestries [Kachuri et al., 2024], and within families, where shared ancestry and family-level confounding are substantially reduced [Selzam et al., 2019, Howe et al., 2022, Young et al., 2022]. Within-family prediction is also the most relevant evaluation for reproductive applications such as embryo selection, where scores are used to compare siblings.

In this work, we make two key contributions: (1) we construct a family-aware benchmark in AoU v9 that assigns entire family components to fixed discovery, calibration, and test partitions and reserves first-degree relatives for within-family evaluation, and (2) we define two modeling tracks, AoU-discovery-only and external-permitted, so that conventional PRS pipelines and machine-learning models can be compared under identical data budgets. We then populate the benchmark with baselines for 14 binary disease traits and report population, within-family, and cross-ancestry performance. Published scores from Herasight [Moore et al., 2025], Nucleus [Cordogan et al., 2025], and academic groups [Thompson et al., 2024, Mars et al., 2022] are included as context rather than as formal comparisons.

We structure the paper as follows. Section 2 describes the benchmark design and modeling tracks. Section 3 details data processing, partitioning, phenotype definitions, and evaluation metrics. Section 4 presents results for population prediction, within-family attenuation, and cross-ancestry transport, and Section 5 discusses implications and limitations. We summarize our main findings below.

Key findings

- **Built to avoid inflated results.** No evaluated participant had a second-degree or closer relative in the training data, and the test set was reserved for one-time evaluation after models were finalized.
- **A same-data reference for new methods.** Scores trained only on AoU discovery data establish how much prediction is attainable from AoU alone, giving machine-learning methods a fair baseline under an identical data budget.
- **Strong prediction.** Across 14 diseases, our scores explain 5.7–24.9% of variation in underlying disease risk (liability-scale R_L^2), strongest for Alzheimer’s disease, type 2 diabetes, prostate cancer, glaucoma, and inflammatory bowel disease, and match or exceed published scores for most traits.
- **Holds within families.** For 11 of 12 diseases with sufficient cases, prediction within families was nearly identical to prediction in the general population (effect ratios 0.86–1.24), the comparison that matters when choosing between embryos.
- **Tested across ancestries.** Scores were evaluated in held-out participants drawn from a diverse US cohort of over 535,000, with strong performance in Admixed American and reduced but meaningful performance in African ancestry individuals.

2 Benchmark design

2.1 Design goals

The benchmark was designed around four goals. First, it should allow iterative discovery using individual-level AoU data without using the final evaluation sample for model selection. Second, it should prevent obvious relatedness leakage by assigning connected family components, rather than nominally unrelated individuals, to data partitions. Third, it should support models trained from different information sources under explicitly labeled tracks. Fourth, it should preserve evaluation layers that answer different scientific questions rather than reducing all model performance to a single headline metric.

This led to a benchmark architecture with distinct roles for discovery, calibration, evaluation, and family-based confirmation. The discovery partition is the only AoU sample from which phenotype-associated training signal may be learned. The calibration partition is used for operations such as hyperparameter selection, component-score weighting, or post-hoc scaling that are explicitly permitted by the model specification. A separate evaluation sample is preserved for one-time validation after a model and analysis plan are frozen. Family-based confirmation is treated as an additional validation axis rather than folded into the ordinary population test set.

This separation was intentionally conducive to *discovery-only training*: new methods can use the AoU discovery genomes and phenotypes aggressively, for GWAS, feature selection, representation learning, interaction discovery, rare-variant aggregation, or direct prediction, while the provenance of every reported result remains clear. Repeated method development can therefore occur without silently converting the full biobank into training data.

2.2 Family-aware partitioning

AoU participants were organized using a genome-wide relatedness graph before the primary modeling partitions were created. Family components were constructed across ancestries to enable cross-ancestry familial structures for admixed populations and minimize cross-ancestry genetic leakage. First-degree relatives and their entire family components were first isolated as the downstream within-family holdout. Remaining individuals were allocated component-wise across the remaining three roles. We elaborate more on this in Section 3.2

2.3 Separate model-development tracks

We distinguish separate benchmark tracks according to where phenotype-associated training information originates in Table 1. This distinction is important because an externally trained PGS and a model learned from AoU individual-level data solve different statistical problems even when validated in the same evaluation sample.

The external-permitted track anchors the benchmark to the strongest summary statistic-based predictors currently available using AoU-clean GWAS sources. We consider any GWAS that does not directly incorporate data from explicit contribution partners to AoU at an institutional- or biobank-level as clean. Hence, large-scale American biobanks including the Million Veterans Program (MVP) [Verma et al., 2024] are considered clean, even though we cannot extensively audit individual-level overlap. This characterization is generally accepted by previous studies that have developed PRS methods in MVP and validated in AoU [Haydarlou et al., 2026, Smith et al., 2026]. The AoU-discovery-only track was designed as a fair comparison for downstream machine learning and method development: it defines a clean task in which the target phenotype is learned only from

Table 1: **Primary model-development tracks in the Reticular AoU benchmark.** The two model-development tracks emphasize different scales of discovery information for phenotype-associated signal. Reference resources that do not contain target-phenotype labels, such as annotation databases or LD resources, are governed separately by each model specification.

Track	Phenotype-associated training signal	Primary purpose
External-permitted	Any clean GWAS or externally-trained model weights	Assess validation of strongest PRSs and scaling of summary statistic-powered methods
AoU-discovery-only	Discovery for learning; calibration for pre-specified tuning	Benchmark AoU-only training signal for method development

the discovery partition, making it possible to compare conventional GWAS-plus-PRS pipelines with methods that operate directly on individual-level genomes.

2.4 Evaluation layers

The benchmark reports several evaluation layers rather than a single leaderboard. Population prediction evaluation measures out-of-sample disease association and the variance explained on a liability-scale. Cross-ancestry evaluation measures determine whether a model trained in one ancestry or jointly across ancestries transports well to other ancestries. Within-family evaluation measures whether the same score remains predictive even when the contrast is driven by genetic segregation within a family. These layers are deliberately separated, as a model may improve population prediction metrics while worsening cross-ancestry transfer or maintain ancestry performance while losing signal within families. Reporting outcomes separately creates a more informative target for future method development and validation than maximizing a single aggregated metric. For this reason, the benchmark should be viewed as an experimental infrastructure rather than a static leaderboard. New models can be added over time while the phenotype definitions, split assignments, evaluation code, and baseline results remain versioned. For reproducibility of our existing results, we provide phenotype definitions in Table B1 and detail our evaluation settings in Section 3.7. We cannot export exact split assignments with participant IDs from AoU, but similar split generation protocols should yield comparable results.

3 Methods

3.1 All of Us Data

All of our analyses used the AoU Research Program Controlled Tier dataset version 9 [The All of Us Research Program Genomics Investigators, 2024] for whole-genome sequencing and longitudinal EHR-derived phenotypes for over 535,000 participants in a diverse American cohort, including large contributions from European (EUR), African (AFR), and Admixed American (AMR) ancestry cohorts. Existing data also include individuals of East Asian (EAS), South Asian (SAS), and Middle Eastern (MID) descent. Data were accessed through the Researcher Workbench under Controlled Tier (C2025Q4R6). Ancestry was determined from the AoU-provided Echo v4 r2 ancestry-prediction table. We took the Baseline-LD annotation set [Gazal et al., 2017, Márquez-Luna et al., 2021] and ran variant-level quality control, keeping only variants with non-zero variance and call rate ≥ 0.98

Table 2: Sample allocation by ancestry across discovery, calibration, locked test, and within-family holdout sets. Note that the within-family holdout does not follow the 70/5/25 split rule, as all first-degree relative graphs are directly assigned to the holdout.

Ancestry	Discovery	Calibration	Locked test	Within-family holdout	Total
AFR	60,717	4,292	21,516	14,275	100,800
AMR	62,436	4,484	22,416	18,592	107,928
EAS	10,259	742	3,755	1,137	15,893
EUR	195,034	13,931	69,655	24,094	302,714
MID	1,370	102	484	195	2,151
SAS	4,039	296	1,408	433	6,176
Total	333,855	23,847	119,234	58,726	535,662

with an adaptive minor allele count (MAC) per ancestry, with a floor of 20 and a ceiling of 100, otherwise using a cutoff at 1% of the called cohort. This maintained a MAC 100 threshold for EUR, while for smaller ancestries, the cutoff was adaptive to include more variants, down to a floor of 20. No Hardy-Weinberg filter was applied, leaving us with a total of 7,724,164 biallelic variants. Principal components were fit exclusively inside the discovery train set, sampling up to 10,000 individuals per ancestry for diversity and balance, before projecting onto remaining individuals. Linkage disequilibrium (LD) was estimated within the EUR ancestry discovery cohort on a set of unrelated individuals.

3.2 Relatedness graph and partition algorithm

We constructed a genome-wide relatedness graph in which participants are vertices and edges connect individuals whose estimated kinship exceeds the benchmark threshold. We utilize the KING robust estimator [Manichaikul et al., 2010] to compute kinship coefficients, building kinship edges at the second-degree relative threshold with kinship coefficient ≥ 0.0884 . Connected components, rather than individual participants, formed the atomic unit for primary split assignment. The first-degree within-family holdout set was constructed first, with entire components held out before the remaining graph was partitioned. Individuals were then assigned component-wise, allocating to the discovery, calibration, and test partitions at a 70/5/25 ratio. The number of individuals by split and ancestry is shown below in Table 2.

The resulting benchmark contains four logical roles: discovery, calibration, test, and family confirmation. The discovery partition may be used repeatedly for phenotype-associated feature learning. Calibration may be used only for pre-specified tuning operations or model selection, before evaluation is run on the test set. Family confirmation is used for within-family estimands and is not treated as an ordinary unrelated test sample.

Where ancestry-specific analyses were performed, the split assignment was inherited directly from the same global family-aware partition rather than reconstructed independently within each ancestry. As family components were constructed across ancestry, each split for each ancestry was clean with respect to the discovery-train of any other ancestry, and ancestry-specific splits were strict subsets of global splits.

3.3 Phenotype definitions

Binary phenotypes were defined from AoU EHR data using trait-specific OMOP concept sets and eligibility rules. Where clinically appropriate, case definitions required repeated diagnosis dates separated in time to reduce single-code misclassification. Control definitions incorporated trait-specific age and observation requirements and excluded related or precursor diagnoses when necessary. Sex-specific cancers are restricted to the relevant eligible population. Specific phenotype definitions for the 14 included binary traits are detailed in Table B1, with additional specific concept IDs further detailed in Appendix D.

3.4 Benchmark track definitions

A model is labeled *external-permitted* when any phenotype-associated training signal is obtained from sources outside AoU. AoU internal discovery and phenotype-associated training signal and AoU calibration are permitted under this framework as well. A model is labeled *AoU-discovery-only* when all target-phenotype-associated training signal is estimated from individuals in the discovery partition. The use of external LD references, functional annotations, genome annotations, or unsupervised reference data does not by itself change the training-track label, provided these resources do not contain target-phenotype labels from AoU evaluation participants. Internally built LD resources and PCA projections should be fit only on the discovery set and should not include any individuals in the calibration, test, or within-family holdout, regardless of benchmark track.

3.5 External PRS Benchmarks

For each trait, we identified clean, large external GWAS summary-statistic datasets with phenotype definitions sufficiently close to the AoU target phenotype. To account for misspecification in external GWAS sources [Privé et al., 2022], external summary statistics were harmonized to the benchmark variant panel by rsID with strand and allele-frequency-assisted palindrome resolution, retaining only biallelic SNPs with valid effect estimates. Palindromic variants were resolved by frequency when both source and panel $MAF \leq 0.4$ and otherwise excluded. When several independent sources were used, they were aggregated via meta-analysis. Specific provenance for external consortia and meta-analyses are documented in Table B5. Where available, publicly available GWAS from UK Biobank [Sudlow et al., 2015], FinnGen [Kurki et al., 2023], and MVP [Verma et al., 2024] contributed to final meta-analysis. Case and control counts for the final meta-analyses are provided in Table B3. We utilized SBayesRC, an LD-aware Bayesian shrinkage methodology that leverages functional annotations to convert GWAS summary statistics into a posterior effect estimator [Zheng et al., 2024]. This was fitted across the ~ 7.7 M SNP panel. We followed the settings in the original paper, matching the 591-block LD eigen-decomposition (which we refit on our discovery cohort), SNP-level QC, annotations, and MCMC settings.

3.6 AoU-discovery-only baseline construction

Internal-only baselines were trained using target phenotypes from the discovery partition. In this initial benchmark, we utilized SAIGE [Zhou et al., 2018] to fit discovery GWAS for each trait. SAIGE was selected due to strong binary-trait calibration for imbalanced phenotypes. Discovery case and control counts are provided in Table B2. Discovery GWAS marginal effect estimates were then harmonized to the variant panel and fed into SBayesRC to yield a posterior effect estimator. These internal-only benchmarks are such that downstream methods are compared with a strong statistical baseline under the same data budget. Due to discovery cohort size, we focused

primarily on EUR-ancestry GWAS and provide evaluation across ancestry cohorts. Likewise, to avoid ancestry-specific conversion between observed-scale and liability-scale variance, we report score-only AUC for each PRS across ancestries. When a model required hyperparameter selection, these were selected in calibration or family-aware cross-validation confined to discovery. The final fitted models are then evaluated without refitting on the evaluation sample.

3.7 Evaluation Metrics

We evaluated PRSs in two tracks for both predictive and explanatory power. In the predictive setting, we computed predictive metrics on the test set and report score-only AUC. Our calibration set design permits a separate covariate-adjusted predictive performance, where the covariates and PRS are fit in calibration, frozen, and then evaluated on the test set. In the explanatory setting, we followed the methodology in Moore et al. [2025], isolating the incremental contribution of a score by residualizing the PRS against nuisance covariates

$$S_i^\perp = S_i - \widehat{\mathbb{E}}[S_i \mid C_i], \quad (1)$$

and estimated the observed-scale variance explained from the pre-specified outcome model. We residualized against age and the first 10 genetic principal components as covariates. The primary binary-trait metrics are liability-scale R_L^2 and AUC. The conversion to liability-scale variance explained is detailed in Appendix A.1. Uncertainty was estimated through 2000 individual bootstrap replicates.

3.8 Within-family evaluation

We evaluated whether the PRS association attenuates within families on the first-degree within-family holdout. The direct genetic effect was estimated with a within/between sibship decomposition that requires no parental genotype information. For each proband i in family $f(i)$ the score was decomposed into

$$S_i^{\text{between}} = \bar{S}_{f(i)}, \quad S_i^{\text{within}} = S_i - \bar{S}_{f(i)},$$

and, per trait, we fit

$$Y \sim S^{\text{within}} + S^{\text{between}} + C,$$

with covariates C = age and sex. The coefficient on S^{within} is identified solely by within-sibship score differences arising from Mendelian segregation; shared ancestry, shared environment, and all parental-score components are absorbed by S^{between} . The population effect β_{pop} was estimated from $Y \sim S_{\text{proband}} + C$ on the same modeled rows, and within-family retention was summarized as

$$R_{\text{direct}} = \beta_{\text{within}} / \beta_{\text{pop}}.$$

This design was chosen because parental genotypes are available for only a minority of holdout families: across modeled probands, approximately 3% have both parents genotyped, 31% have exactly one, and 65% have neither, with parental scores for the latter strata reconstructed by SNIPAR [Young et al., 2022]. Where neither parent is genotyped the imputed maternal and paternal scores are identical in expectation, so parental-score-adjustment designs are non-identifying in that stratum by construction; the sibship contrast remains fully identified there. Parental-adjustment estimates restricted to families with at least one genotyped parent, together with per-stratum composition and estimates, are reported in Appendix A.2.

Uncertainty was estimated by nonparametric bootstrap resampling of whole families (2,000 replicates): in each replicate both models were refit on the same resampled families and the ratio

recomputed, preserving within-family dependence and the covariance between the two coefficients. Confidence intervals are empirical percentile intervals from the bootstrap distribution. Estimates were flagged non-interpretable when the β_{pop} interval included zero or the modeled case count was ≤ 20 .

3.9 Cross-ancestry evaluation

Ancestry-stratified analyses inherited the global family-aware split assignment. Scores were evaluated separately within ancestry groups using locally estimated nuisance coefficients under the frozen PC basis and evaluation specification. While not provided in this report, the benchmark formulation is easily compatible with multi-ancestry methods. For results across ancestries, metrics should report which benchmark track is followed, which ancestry groups contribute training signal, and distinguish cross-ancestry portability from joint multi-ancestry training.

3.10 Published comparator context

Published PGS results from Thompson et al. [Thompson et al., 2024], Mars et al. [Mars et al., 2022], Herasight [Moore et al., 2025], and Nucleus [Cordogan et al., 2025] are used as contextual references. When necessary, reported estimates are transformed into the benchmark metric under frozen trait-specific prevalence assumptions. These cross-study values are not used to select benchmark models and are not interpreted as formal pairwise tests because the underlying cohorts, phenotypes, training sources, and analysis procedures differ.

4 Results

4.1 Liability-scale variance explained across sources

We first characterized our meta-analyses for the 14 binary traits in terms of liability-scale variance explained relative to two other commercial groups in Herasight [Moore et al., 2025] and Nucleus [Cordogan et al., 2025], as well as two academic works [Thompson et al., 2024, Mars et al., 2022]. Note that due to different discovery cohorts, evaluation settings, data split methodologies, and phenotype definitions, these comparisons are not strictly head-to-head, but rather demonstrate that meta-analysis of publicly available GWAS yields strong polygenic risk prediction within AoU v9. These results are plotted in Figure 1.

These meta-analysis results include external GWAS and internal GWAS sources. We also wanted to characterize the discovery power inherent within AoU through our family-aware data splitting mechanism. We were unable to run a meaningful internal-only GWAS on testicular cancer due to the low case count, so we demonstrate this across the remaining 13 binary traits. These results are displayed in Figure 2. Numerical results are provided in Table C1 and Table C2. External-permitted PRSs explain more variance in liability-scale than internal-only, which is unsurprising given the difference in discovery power. These results demonstrate the importance of separating raw metric strength from discovery power for fair comparisons in method development.

4.2 Within-family analysis for external-permitted and internal-only scores

We then hoped to characterize the attenuation of polygenic risk prediction within-family. Plots of the attenuation ratio, the ratio between the direct and population effect, are shown in Figure 3. For statistical power, we focus on our between-sibling attenuation. We found that the predictive power of PRSs was not significantly different within-family from the population at large for 13




Figure 1: Liability-scale variance explained across 14 binary traits for external-permitted track. Reticular refers to our meta-analysis of external and AoU internal GWAS. We exceed or match the liability variance explained for most traits, though exact phenotype definitions, evaluation cohorts, and populations differ by source. Numerical values provided in Table C1.




Figure 2: Comparison of liability-scale variance explained across 13 binary traits (testicular cancer dropped) between external-permitted and internal-only benchmark tracks. Use of high-power external GWAS sources strongly strengthens performance of polygenic risk predictors.




Figure 3: Within-family attenuation ratio across 14 binary traits. Alzheimer’s disease and testicular cancer estimates are unstable due to low case counts. 11 binary traits do not meaningfully attenuate within family, while type 2 diabetes shows slight attenuation in within-family evaluation. Numerical values are provided in Table C3.

of our PRSs. For type 2 diabetes, we observe slightly worse within-family than between-family performance. Estimates for Alzheimer’s disease and testicular cancer are unstable due to a limited case count in the within-family holdout.

4.3 Cross-ancestry transport for external and internal methods

We wanted to characterize the predictive power of PRSs across ancestries. To avoid computing ancestry-specific liability-scale variance explanation metrics, which require ancestry-specific lifetime risk estimates for each trait, we instead evaluated cross-ancestry transport on predictive tasks. Because of the low case count and different covariate structures and distributions across populations, we instead report only score-only PRS AUC for a clean comparison across ancestries. These results are displayed below in Table 3 for external-permitted track PRSs. For certain trait ancestry combinations, there are too few cases in the test set and metrics are not included. Overall, we see strong performance, with better transport into AMR than AFR for 13 of our EUR-trained PRSs, with the exception of breast cancer. EAS, MID, and SAS populations are smaller and estimates are thus noisier, with certain instances approaching noise-only, such as with EAS for melanoma and SAS for prostate cancer. Full case and population sizes for traits across ancestries are provided in Table B4. Results for internal discovery-only transport are provided in Table C4.

5 Discussion

This work reframes PRS validation in AoU as a benchmark-design problem. Existing company whitepapers have importantly demonstrated that modern PRSs can reach substantial disease-prediction performance and can retain signal within families [Moore et al., 2025, Cordogan et al., 2025]. Our objective is somewhat complementary. While we are interested in disease-predictive performance of modern PRSs, we also recognize the need for a standardized evaluation setting in

Table 3: Cross-ancestry score-only AUC for external-permitted PRSs. 95% confidence intervals are computed on 2000-replicate stratified bootstraps. Only estimates with more than one case are provided.

Trait	EUR	AFR	AMR	EAS	MID	SAS
Testicular cancer	0.775 [0.714, 0.833]	0.591 [0.214, 0.967]	0.665 [0.553, 0.773]	0.701 [0.460, 0.893]	—	—
Inflammatory bowel disease	0.761 [0.744, 0.778]	0.649 [0.589, 0.706]	0.704 [0.650, 0.755]	0.837 [0.712, 0.945]	0.595 [0.321, 0.847]	0.771 [0.616, 0.905]
Multiple sclerosis	0.748 [0.729, 0.768]	0.586 [0.533, 0.643]	0.692 [0.628, 0.755]	0.736 [0.475, 0.934]	0.592 [0.294, 0.885]	0.652 [0.424, 0.877]
Glaucoma	0.733 [0.714, 0.752]	0.669 [0.635, 0.704]	0.705 [0.657, 0.749]	0.622 [0.519, 0.725]	0.712 [0.447, 0.924]	0.584 [0.391, 0.755]
Gout	0.703 [0.690, 0.715]	0.609 [0.583, 0.634]	0.669 [0.630, 0.708]	0.726 [0.675, 0.773]	0.581 [0.363, 0.943]	0.771 [0.554, 0.924]
Type 2 diabetes	0.699 [0.692, 0.707]	0.582 [0.568, 0.594]	0.649 [0.635, 0.662]	0.638 [0.597, 0.678]	0.611 [0.513, 0.700]	0.613 [0.557, 0.671]
Psoriasis	0.694 [0.674, 0.711]	0.540 [0.459, 0.624]	0.647 [0.592, 0.699]	0.653 [0.514, 0.791]	0.719 [0.260, 0.965]	0.604 [0.436, 0.770]
Alzheimer’s disease	0.690 [0.642, 0.734]	0.575 [0.414, 0.715]	0.754 [0.674, 0.823]	—	0.840 [0.680, 0.983]	—
Melanoma	0.670 [0.648, 0.695]	0.593 [0.348, 0.829]	0.650 [0.493, 0.805]	—	—	—
Basal cell carcinoma	0.663 [0.652, 0.675]	0.615 [0.342, 0.895]	0.717 [0.644, 0.783]	0.828 [0.671, 0.956]	0.820 [0.760, 0.880]	0.916 [0.885, 0.948]
Breast cancer	0.662 [0.650, 0.675]	0.623 [0.593, 0.653]	0.617 [0.586, 0.649]	0.641 [0.564, 0.711]	0.691 [0.565, 0.811]	0.652 [0.497, 0.790]
Prostate cancer	0.653 [0.643, 0.661]	0.579 [0.556, 0.603]	0.616 [0.588, 0.641]	0.609 [0.548, 0.670]	0.603 [0.461, 0.729]	0.512 [0.396, 0.635]
Hypertension	0.647 [0.642, 0.653]	0.570 [0.559, 0.581]	0.632 [0.619, 0.645]	0.660 [0.629, 0.690]	0.653 [0.568, 0.730]	0.645 [0.582, 0.702]
Osteoporosis	0.613 [0.603, 0.622]	0.580 [0.548, 0.615]	0.593 [0.563, 0.625]	0.557 [0.495, 0.620]	0.672 [0.531, 0.805]	0.678 [0.570, 0.776]

which existing PRSs can iteratively be seen as baselines for the next generation of genomic methods.

Our central methodological choice is a family-aware data partition. A random holdout is sufficient only when the final model is trained once and close relatives are absent. It is less satisfactory for an iterative research program in which new models are repeatedly proposed, individual-level AoU data are used for feature discovery, and family structure may create hidden dependence between samples. By freezing family-aware discovery, calibration, evaluation, and within-family partitions, we make the information boundary explicit. The same split can support conventional GWAS-plus-PGS pipelines and more flexible machine-learning models without redefining what constitutes an independent test.

The distinction between external-only and AoU-discovery-only performance is also important. Large external GWASs provide far more association power than a single internal discovery split for many diseases, so an external PGS is an intentionally difficult baseline. Internal-only results provide an important measurement for the efficiency with which a model converts a fixed set of individual-level genomes and phenotypes into held-out prediction. This is the relevant quantity for assessing new methods that claim to learn more from the same biobank data. The most powerful methods can then be scaled to larger sizes and provide more powerful PRS prediction.

The nested nature of our data partitioning methodology across ancestries is also important for evaluation and development of multi-ancestry methods. Prior work has demonstrated limited cross-ancestry performance of PRSs Kachuri et al. [2024] leading to the development of several multi-ancestry methods, including PRS-CSx [Ruan et al., 2022], SDPRX [Zhou et al., 2023], MUSSEL [Jin et al., 2024], JointPRS [Xu et al., 2025], and MIXPRS [Xu et al., 2026]. While we do not benchmark these methods here, we provide a strong infrastructure for the clean benchmarking of these methods internally. Because family graphs are constructed across ancestries, the evaluation cohorts for each ancestry are leakage-safe with respect to the discovery cohorts of all other ancestries. We leave the benchmarking of these and other multi-ancestry methods to future work.

The present benchmark has several limitations. First, EHR phenotypes contain diagnostic heterogeneity and trait-dependent observation bias. Second, the discovery sample is necessarily smaller than the full AoU cohort, which limits power for rare diseases and makes internal-only comparisons sensitive to case count. Third, ancestry groups differ in sample size and disease prevalence, so not every internal-only task will be equally powered across populations. Fourth, within-family estimates remain less precise than population estimates for rare traits due to low sample count and case count. Finally, benchmark results depend on the frozen phenotype definitions, prevalence assumptions, and evaluation metrics; these must be versioned rather than changed opportunistically as models evolve.

These constraints are features of the scientific problem rather than reasons to avoid benchmarking. By making the constraints explicit, the resource can distinguish gains due to statistical methodology from gains due to additional training data, altered phenotyping, or inadvertent leakage. The intended endpoint is a benchmark in which a new genomic method can be evaluated along a sequence of increasingly stringent questions: does it learn efficiently from discovery-only data, does it improve over externally trained PGSs, does it transport across ancestry, does it retain signal within families, and does the gain persist in a locked reserve that was never used during development?

6 Data availability

Individual-level AoU data are available to authorized researchers through the All of Us Researcher Workbench subject to program access requirements. All external GWAS summary statistics used in the baseline models are publicly available and downloadable from the original studies and consortia.

7 Acknowledgments

We gratefully acknowledge the participants of the All of Us Research Program and the investigators and participants of the GWAS studies whose summary statistics contributed to this work, including but not limited to UKBB, MVP, FinnGen, and trait-specific consortia including but not limited to the European Alzheimer and Dementia Biobank [Bellenguez et al., 2022, EADB et al., 2026], Breast Cancer Association Consortium [Zhang et al., 2020], International IBD Genetics Consortium [De Lange et al., 2017], and Type 2 Diabetes Global Genomics Initiative [Suzuki et al., 2024].

References

- Céline Bellenguez, Fahri Küçükali, Iris E Jansen, Luca Klei, Luca Klei, Sonia Moreno-Grau, Najaf Amin, Adam C Naj, Rafael Campos-Martin, Benjamin Grenier-Boley, Victor Andrade, et al. New insights into the genetic etiology of alzheimer’s disease and related dementias. *Nature genetics*, 54(4):412–436, 2022.
- Xingyu Chen, Fei Wang, Hongqiang Zhao, Jing Hao, Yunga A, Xiong Yang, Tingfeng Xu, Yubo Zhou, Qiuli Chen, Rufan Zhang, et al. Comprehensive benchmarking single and multi ancestry polygenic score methods with the pgs-hub platform. *Nature Communications*, 17(1):2014, 2026.
- Chamlee Cho, Beomsu Kim, Dan Say Kim, Mi Yeong Hwang, Injeong Shim, Minku Song, Yeong Chan Lee, Sang-Hyuk Jung, Sung Kweon Cho, Woong-Yang Park, et al. Large-scale cross-ancestry genome-wide meta-analysis of serum urate. *Nature communications*, 15(1):3441, 2024.
- S Cordogan, DB Starr, NR Treff, J Lanchbury, E Goldstein, K Sadeghi, M Burmeister, L Dayani, P Macdonald, JD Keen-Kim, et al. Within-and between-family validation of nine polygenic risk scores developed in 1.5 million individuals: implications for ivf, embryo selection, and reduction in lifetime disease risk. *medRxiv*, pages 2025–10, 2025.
- Nick Dand, Philip E Stuart, John Bowes, David Ellinghaus, Joanne Nititham, Jake R Saklatvala, Maris Teder-Laving, Laurent F Thomas, Tanel Traks, Steffen Uebe, et al. Gwas meta-analysis of psoriasis identifies new susceptibility alleles impacting disease mechanisms and therapeutic targets. *Nature Communications*, 16(1):2051, 2025.
- Anirban Das and Yan Cui. Bridging ancestry gaps in genomic risk prediction with tabular foundation models. *Bioinformatics*, 42(Supplement_1):btg217, 2026.
- Katrina M De Lange, Loukas Moutsianas, James C Lee, Christopher A Lamb, Yang Luo, Nicholas A Kennedy, Luke Jostins, Daniel L Rice, Javier Gutierrez-Achury, Sun-Gou Ji, et al. Genome-wide association study implicates immune activation of multiple integrin genes in inflammatory bowel disease. *Nature genetics*, 49(2):256–261, 2017.
- EADB, EADI, Bonn, ADGC, CHARGE, FinnGen, GERAD, GR@ACE/DEGESCO, and PGC-ALZ. Consensus meta-analysis of genome-wide association studies for alzheimer’s disease and related dementias. *Nature Genetics*, 58:1214–1225, 2026. doi: 10.1038/s41588-026-02583-1. URL <https://doi.org/10.1038/s41588-026-02583-1>.
- Colin A Ellis, Karen L Oliver, Rebekah V Harris, Ruth Ottman, Ingrid E Scheffer, Heather C Mefford, Michael P Epstein, Samuel F Berkovic, and Melanie Bahlo. Inflation of polygenic risk scores caused by sample overlap and relatedness: Examples of a major risk of bias. *The American Journal of Human Genetics*, 111(9):1805–1809, 2024.
- Steven Gazal, Hilary K Finucane, Nicholas A Furlotte, Po-Ru Loh, Pier Francesco Palamara, Xuanyao Liu, Armin Schoech, Brendan Bulik-Sullivan, Benjamin M Neale, Alexander Gusev, et al. Linkage disequilibrium-dependent architecture of human complex traits shows action of negative selection. *Nature genetics*, 49(10):1421–1427, 2017.
- Tian Ge, Chia-Yen Chen, Yang Ni, Yen-Chen Anne Feng, and Jordan W Smoller. Polygenic prediction via bayesian regression and continuous shrinkage priors. *Nature communications*, 10(1):1776, 2019.

- Puya Gharahkhani, Eric Jorgenson, Pirro Hysi, Anthony P Khawaja, Sarah Pendergrass, Xikun Han, Jue Sheng Ong, Alex W Hewitt, Ayellet V Segrè, John M Rouhana, et al. Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect across ancestries. *Nature communications*, 12(1):1258, 2021.
- Xikun Han, Kaiah Steven, Ayub Qassim, Henry N Marshall, Cameron Bean, Michael Tremeer, Jiyuan An, Owen M Siggs, Puya Gharahkhani, Jamie E Craig, et al. Automated ai labeling of optic nerve head enables insights into cross-ancestry glaucoma risk and genetic discovery in 280,000 images from ukb and clsa. *The American Journal of Human Genetics*, 108(7):1204–1216, 2021.
- Poea Haydarlou, Daria R Kramarenko, Nobuyuki Enzan, Marie Klevjer, Oliver B Vad, Marre E Corver, Dominic S Zimmerman, Koichi Matsuda, Søren Z Diederichsen, et al. Multi-trait polygenic risk scores improve genomic prediction of atrial fibrillation across diverse ancestries. *Nature Communications*, 2026.
- Laurence J Howe, Michel G Nivard, Tim T Morris, Ailin F Hansen, Humaira Rasheed, Yoonsu Cho, Geetha Chittoor, Rafael Ahlskog, Penelope A Lind, Teemu Palviainen, et al. Within-sibship genome-wide association analyses decrease bias in estimates of direct genetic effects. *Nature genetics*, 54(5):581–592, 2022.
- Seokho Jeong, Manu Shivakumar, Sang-Hyuk Jung, Hong-Hee Won, Kwangsik Nho, Heng Huang, Christos Davatzikos, Andrew J Saykin, Paul M Thompson, Li Shen, et al. Addressing overfitting bias due to sample overlap in polygenic risk scoring. *Alzheimer’s & Dementia*, 21(4):e70109, 2025.
- Jin Jin, Jianan Zhan, Jingning Zhang, Ruzhang Zhao, Jared O’Connell, Yunxuan Jiang, Stella Aslibekyan, Adam Auton, Elizabeth Babalola, Robert K Bell, et al. Mussel: Enhanced bayesian polygenic risk prediction leveraging information across multiple ancestry groups. *Cell genomics*, 4(4), 2024.
- Linda Kachuri, Nilanjan Chatterjee, Jibril Hirbo, Daniel J Schaid, Iman Martin, Iftikhar J Kullo, Eimear E Kenny, Bogdan Pasaniuc, Polygenic Risk Methods in Diverse Populations (PRIMED) Consortium Methods Working Group Auer Paul L. 20 Conomos Matthew P. 21 Conti David V. 22 23 Ding Yi 24 Wang Ying 19 25 26 Zhang Haoyu 27 28 Zhang Yuji 29, John S Witte, et al. Principles and methods for transferring polygenic risk scores across global populations. *Nature Reviews Genetics*, 25(1):8–25, 2024.
- Jacob M Keaton, Zoha Kamali, Tian Xie, Ahmad Vaez, Ariel Williams, Slavina B Goleva, Alireza Ani, Evangelos Evangelou, Jacklyn N Hellwege, Loic Yengo, et al. Genome-wide analysis in over 1 million individuals of european ancestry yields improved polygenic risk scores for blood pressure traits. *Nature genetics*, 56(5):778–791, 2024.
- Mitja I Kurki, Juha Karjalainen, Priit Palta, Timo P Sipilä, Kati Kristiansson, Kati M Donner, Mary P Reeve, Hannele Laivuori, Mervi Aavikko, Mari A Kaunisto, et al. FinnGen provides genetic insights from a well-phenotyped isolated population. *Nature*, 613(7944):508–518, 2023.
- Samuel A Lambert, Laurent Gil, Simon Jupp, Scott C Ritchie, Yu Xu, Annalisa Buniello, Aoife McMahon, Gad Abraham, Michael Chapman, Helen Parkinson, et al. The polygenic score catalog as an open database for reproducibility and systematic evaluation. *Nature genetics*, 53(4):420–425, 2021.

- Sang Hong Lee, Michael E Goddard, Naomi R Wray, and Peter M Visscher. A better coefficient of determination for genetic profile analysis. *Genetic epidemiology*, 36(3):214–224, 2012.
- Luke R Lloyd-Jones, Jian Zeng, Julia Sidorenko, Loïc Yengo, Gerhard Moser, Kathryn E Kemper, Huanwei Wang, Zhili Zheng, Reedik Magi, Tõnu Esko, et al. Improved polygenic prediction by bayesian multiple regression on summary statistics. *Nature communications*, 10(1):5086, 2019.
- Ani Manichaikul, Josyf C Mychaleckyj, Stephen S Rich, Kathy Daly, Michèle Sale, and Wei-Min Chen. Robust relationship inference in genome-wide association studies. *Bioinformatics*, 26(22):2867–2873, 2010.
- Carla Márquez-Luna, Steven Gazal, Po-Ru Loh, Samuel S Kim, Nicholas Furlotte, Adam Auton, and Alkes L Price. Incorporating functional priors improves polygenic prediction accuracy in uk biobank and 23andme data sets. *Nature Communications*, 12(1):6052, 2021.
- Nina Mars, Joni V Lindbohm, Pietro della Briotta Parolo, Elisabeth Widén, Jaakko Kaprio, Aarno Palotie, and Samuli Ripatti. Systematic comparison of family history and polygenic risk across 24 common diseases. *The American Journal of Human Genetics*, 109(12):2152–2162, 2022.
- Spencer Moore, Ivan Davidson, Jonathan Anomaly, Jeremiah H Li, Mohammad Ahangari, Lauren Moissiy, Michael Christensen, Alexander Strudwick Young, David Stern, and Tobias Wolfram. Development and validation of polygenic scores for within-family prediction of disease risks. *medRxiv*, pages 2025–08, 2025.
- Oliver Pain, Kylie P Glanville, Saskia P Hagenaars, Saskia Selzam, Anna E Fürtjes, Hélène A Gaspar, Jonathan RI Coleman, Kaili Rimfeld, Gerome Breen, Robert Plomin, et al. Evaluation of polygenic prediction methodology within a reference-standardized framework. *PLoS genetics*, 17(5):e1009021, 2021.
- Seunghwan Park and Wonil Chung. Comparative evaluation of statistical learning methods for polygenic prediction in uk biobank. *Scientific Reports*, 2026.
- Florian Privé, Julyan Arbel, and Bjarni J Vilhjálmsson. Ldpred2: better, faster, stronger. *Bioinformatics*, 36(22-23):5424–5431, 2020.
- Florian Privé, Julyan Arbel, Hugues Aschard, and Bjarni J Vilhjálmsson. Identifying and correcting for misspecifications in gwas summary statistics and polygenic scores. *Human Genetics and Genomics Advances*, 3(4), 2022.
- Yunfeng Ruan, Yen-Feng Lin, Yen-Chen Anne Feng, Chia-Yen Chen, Max Lam, Zhenglin Guo, Lin He, Akira Sawa, Alicia R Martin, et al. Improving polygenic prediction in ancestrally diverse populations. *Nature genetics*, 54(5):573–580, 2022.
- Saskia Selzam, Stuart J Ritchie, Jean-Baptiste Pingault, Chandra A Reynolds, Paul F O’Reilly, and Robert Plomin. Comparing within-and between-family polygenic score prediction. *The American journal of human genetics*, 105(2):351–363, 2019.
- Mathias Seviiri, Matthew H Law, Jue-Sheng Ong, Puya Gharahkhani, Pierre Fontanillas, Catherine M Olsen, David C Whiteman, and Stuart MacGregor. A multi-phenotype analysis reveals 19 susceptibility loci for basal cell carcinoma and 15 for squamous cell carcinoma. *Nature communications*, 13(1):7650, 2022.

- Johanna L Smith, Kristjan Norland, Marwan E Hamed, Yue Yu, Jie Na, Ozan Dikilitas, Daniel J Schaid, and Iftikhar J Kullo. Performance of polygenic risk scores for atherosclerotic cardiovascular disease in the all of us program. *Circulation: Genomic and Precision Medicine*, page e005382, 2026.
- Cathie Sudlow, John Gallacher, Naomi Allen, Valerie Beral, Paul Burton, John Danesh, Paul Downey, Paul Elliott, Jane Green, Martin Landray, Bette Liu, Paul Matthews, Giok Ong, Jill Pell, Alan Silman, Alan Young, Tim Sprosen, Tim Peakman, and Rory Collins. UK Biobank: An open access resource for identifying the causes of a wide range of complex diseases of middle and old age. *PLoS Medicine*, 12(3):e1001779, 2015. doi: 10.1371/journal.pmed.1001779. URL <https://doi.org/10.1371/journal.pmed.1001779>.
- Ken Suzuki, Konstantinos Hatzikotoulas, Lorraine Southam, Henry J Taylor, Xianying Yin, Kim M Lorenz, Ravi Mandla, Alicia Huerta-Chagoya, Giorgio EM Melloni, Stavroula Kanoni, et al. Genetic drivers of heterogeneity in type 2 diabetes pathophysiology. *Nature*, 627(8003):347–357, 2024.
- The All of Us Research Program Genomics Investigators. Genomic data in the All of Us research program. *Nature*, 627:340–346, 2024. doi: 10.1038/s41586-023-06957-x. URL <https://doi.org/10.1038/s41586-023-06957-x>.
- Deborah J Thompson, Daniel Wells, Saskia Selzam, Iliana Peneva, Rachel Moore, Kevin Sharp, William A Tarran, Edward J Beard, Fernando Riveros-Mckay, Carla Giner-Delgado, et al. A systematic evaluation of the performance and properties of the uk biobank polygenic risk score (prs) release. *Plos one*, 19(9):e0307270, 2024.
- Kristin Tsuo, Zhuozheng Shi, Tian Ge, Ravi Mandla, Kangcheng Hou, Yi Ding, Bogdan Pasaniuc, Ying Wang, and Alicia R Martin. All of us diversity and scale yield context-dependent improvements in polygenic prediction. *Nature Genetics*, pages 1–9, 2026.
- Emil Uffelmann, Qin Qin Huang, Nchangwi Syntia Munung, Jantina De Vries, Yukinori Okada, Alicia R Martin, Hilary C Martin, Tuuli Lappalainen, and Danielle Posthuma. Genome-wide association studies. *Nature reviews methods primers*, 1(1):59, 2021.
- Anurag Verma, Jennifer E. Huffman, Alex Rodriguez, Mitchell Conery, Molei Liu, et al. Diversity and scale: Genetic architecture of 2068 traits in the VA Million Veteran Program. *Science*, 385(6706):eadj1182, 2024. doi: 10.1126/science.adj1182. URL <https://doi.org/10.1126/science.adj1182>.
- Hannah Wand, Samuel A Lambert, Cecelia Tamburro, Michael A Iacocca, Jack W O’Sullivan, Catherine Sillari, Iftikhar J Kullo, Robb Rowley, Jacqueline S Dron, Deanna Brockman, et al. Improving reporting standards for polygenic scores in risk prediction studies. *Nature*, 591(7849): 211–219, 2021.
- Anqi Wang, Jiayi Shen, Alex A Rodriguez, Edward J Saunders, Fei Chen, Rohini Janivara, Burcu F Darst, Xin Sheng, Yili Xu, Alisha J Chou, et al. Characterizing prostate cancer risk through multi-ancestry genome-wide discovery of 187 novel risk variants. *Nature genetics*, 55(12):2065–2074, 2023.
- Zhaoming Wang, Katherine A McGlynn, Ewa Rajpert-De Meyts, D Timothy Bishop, Charles C Chung, Marlene D Dalgaard, Mark H Greene, Ramneek Gupta, Tom Grotmol, Trine B Haugen,

- et al. Meta-analysis of five genome-wide association studies identifies multiple new loci associated with testicular germ cell tumor. *Nature genetics*, 49(7):1141–1147, 2017.
- Jacob Williams, Tony Chen, Xing Hua, Wendy Wong, Kai Yu, Peter Kraft, Xihao Li, and Haoyu Zhang. Integrating common and rare variants improves polygenic risk prediction across diverse populations. *Nature Communications*, 2026.
- Hao Wu, Paulino Pérez-Rodríguez, Michael Boehnke, Yuehua Cui, Xiaoyu Liang, Ana I Vazquez, and Gustavo de Los Campos. Improving polygenic score prediction for underrepresented groups through transfer learning. *Nature Communications*, 17(1):1973, 2026.
- Leqi Xu, Geyu Zhou, Wei Jiang, Haoyu Zhang, Yikai Dong, Leying Guan, and Hongyu Zhao. Jointprs: A data-adaptive framework for multi-population genetic risk prediction incorporating genetic correlation. *Nature Communications*, 16(1):3841, 2025.
- Leqi Xu, Yikai Dong, Xiaowei Zeng, Zeyu Bian, Geyu Zhou, Leying Guan, and Hongyu Zhao. Mixprs enables multi-population and multi-method polygenic risk scores using summary statistics. *Nature Genetics*, pages 1–12, 2026.
- Alexander I Young, Seyed Moeen Nehzati, Stefania Benonisdottir, Aysu Okbay, Hariharan Jayashankar, Chanwook Lee, David Cesarini, Daniel J Benjamin, Patrick Turley, and Augustine Kong. Mendelian imputation of parental genotypes improves estimates of direct genetic effects. *Nature genetics*, 54(6):897–905, 2022.
- Haoyu Zhang, Thomas U Ahearn, Julie Lecarpentier, Daniel Barnes, Jonathan Beesley, Guanghao Qi, Xia Jiang, Tracy A O’Mara, Ni Zhao, Manjeet K Bolla, et al. Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. *Nature genetics*, 52(6):572–581, 2020.
- Zhili Zheng, Shouye Liu, Julia Sidorenko, Ying Wang, Tian Lin, Loic Yengo, Patrick Turley, Alireza Ani, Rujia Wang, Ilja M Nolte, et al. Leveraging functional genomic annotations and genome coverage to improve polygenic prediction of complex traits within and between ancestries. *Nature genetics*, 56(5):767–777, 2024.
- Geyu Zhou, Tianqi Chen, and Hongyu Zhao. Sdprx: A statistical method for cross-population prediction of complex traits. *The American Journal of Human Genetics*, 110(1):13–22, 2023.
- Wei Zhou, Jonas B Nielsen, Lars G Fritsche, Rounak Dey, Maiken E Gabrielsen, Brooke N Wolford, Jonathon LeFaive, Peter VandeHaar, Sarah A Gagliano, Aliya Gifford, et al. Efficiently controlling for case-control imbalance and sample relatedness in large-scale genetic association studies. *Nature genetics*, 50(9):1335–1341, 2018.

Appendix

A Extended background and methods

A.1 Conversion between observed-scale and liability-scale variance

For a binary trait with population or lifetime prevalence K , sample case fraction P , observed-scale incremental variance explained R_O^2 , threshold

$$t = \Phi^{-1}(1 - K), \quad (2)$$

and standard-normal density $z = \phi(t)$, we used the Lee et al. liability-threshold transformation [Lee et al., 2012]. Defining

$$C = \frac{K^2(1 - K)^2}{z^2 P(1 - P)}, \quad (3)$$

$$i = \frac{z}{K}, \quad (4)$$

$$\theta = i \frac{P - K}{1 - K} \left(i \frac{P - K}{1 - K} - t \right), \quad (5)$$

we compute

$$R_L^2 = \frac{C R_O^2}{1 + C \theta R_O^2}. \quad (6)$$

Trait-specific prevalence assumptions were frozen as part of the benchmark version. We matched the same prevalence as in Moore et al. [2025] for all traits.

A.2 Within-family evaluation settings

Scores for probands and parents were computed by SNIPAR [Young et al., 2022] with identical weight vectors and frozen normalization across family members. Parental genotyping in the holdout is sparse: across modeled probands, $\approx 3\%$ had both parents genotyped, $\approx 31\%$ exactly one, and $\approx 65\%$ neither, with the last stratum’s maternal and paternal scores collinear by construction (Table C3). Modeled rows required complete phenotype, proband score, age, and sex, and at least two modeled members per family. Traits used a probit GLM with family-cluster-robust standard errors (cluster unit: family ID). Estimates were flagged non-interpretable when the β_{pop} interval included zero or modeled cases were ≤ 20 . Parental-adjustment (Young) estimates restricted to the ≥ 1 -genotyped-parent stratum and per-stratum sibship-contrast estimates are reported in Table C3.

B Supplementary tables

B.1 Phenotype definitions

Table B1: Phenotype definitions and control criteria across traits. Concept IDs are OMOP concepts (SNOMED vocabulary unless noted) as resolved under the All of Us C2025Q4R6 curated dataset. "Root + descendants" includes all active standard descendants of the listed concept in the extraction CDR. Case concepts and control exclusions are designed to avoid phenotype misclassification.

Trait	Case concept(s)	Control exclusions
Alzheimer's disease	378419 (Alzheimer's disease), including descendants	Any dementia, MCI, or major-neurocognitive-disorder condition based on name pattern; controls age ≥ 65 with ≥ 5 years observation
Basal cell carcinoma	109 SNOMED concepts under root 4112752 (Basal cell carcinoma of skin) (Table D1) plus 6 BCC-specific procedures (Table D2)	None
Breast cancer	256 primary-malignancy concepts under 4157332 (Malignant neoplasm of female breast) (Table D3)	Secondary or metastatic breast evidence (11 concepts; Table D4); controls with ≥ 5 years observation; female sex
Glaucoma	435262 (Primary open angle glaucoma) and 441561 (Low tension glaucoma), including descendants	Roots 437541, 3663197, and 381290 (secondary, neovascular, or borderline glaucoma); controls age ≥ 40 with eye-exam (4263508, 4302595)
Gout	440674 (Gout), including descendants	None
Hypertension	16-concept essential-hypertension set (Table D5)	115 blocking concepts (Table D6); controls age ≥ 50
Inflammatory bowel disease	62-concept union of Crohn's disease, ulcerative colitis, and indeterminate IBD (Table D7)	11 nonspecific-colitis exclusion concepts (Table D8)
Melanoma	222 invasive cutaneous melanoma concepts (Table D9)	Any reviewed melanoma evidence; controls with ≥ 5 years observation and age $\geq$ q10 case-age floor
Multiple sclerosis	15 explicit concepts (Table D10)	Roots 37116351 (Factor VIII deficiency syndrome) and 44811462 (Uhthoff Phenomenon)
Osteoporosis	80502 (Osteoporosis), including descendants	None
Prostate cancer	93 direct or advanced prostate-malignancy concepts (Table D11)	102 indeterminate concepts block controls (Table D12); controls with ≥ 5 years observation; male sex
Psoriasis	140168 (Psoriasis), including descendants	None
Type 2 diabetes	201826 (Type 2 diabetes mellitus), including descendants	None
Testicular cancer	65 TGCT or broad-malignancy diagnosis concepts (Table D13)	Controls with ≥ 5 years observation; male sex; age ≥ 18

B.2 Case count for discovery phenotypes

Table B2: Phenotype sample sizes and effective sample sizes for discovery cohort internal GWAS.

Trait	Cases	Controls	N_{eff}
Alzheimer’s disease ¹	1,709	85,284	6,702
Basal cell carcinoma	6,000	137,203	22,994
Breast cancer	8,271	41,323	27,566
Glaucoma ²	6,976	183,592	26,883
Gout	10,142	244,163	38,950
Hypertension	92,410	124,235	211,970
Inflammatory bowel disease	2,559	247,509	10,131
Melanoma	2,464	172,127	9,717
Multiple sclerosis	2,853	228,791	11,271
Osteoporosis	10,497	238,174	40,216
Prostate cancer	16,243	78,457	53,828
Psoriasis	2,496	250,161	9,885
Type 2 diabetes	26,585	230,364	95,338
Testicular cancer ³	201	91,202	802

B.3 Case count for external-permitted scores

Table B3: Summary of GWAS sample sizes used for polygenic score construction for external-permitted track.

Trait	Total cases	Total controls	Combined N_{eff}
Alzheimer’s disease	93,422	670,144	~324,800
Type 2 diabetes	346,267	2,108,070	~1,184,000
Prostate cancer	135,161	651,656	~447,300
Glaucoma	~33,174	~900,890	~237,400
Inflammatory bowel disease	51,348	1,442,239	~161,600
Gout	64,328	1,527,850	~913,400
Testicular cancer	~11,541	~408,056	~31,900
Hypertension	220,206	1,429,162	~1,586,100
Psoriasis	67,974	1,519,119	~257,200
Melanoma	56,752	1,281,103	~207,500
Osteoporosis	16,280	1,066,572	~510,700
Breast cancer	172,128	996,467	~388,400
Multiple sclerosis	9,269	1,486,134	~36,800
Basal cell carcinoma	67,389	1,097,039	~253,500

¹Related-dementia cases were included in discovery for greater GWAS power.

²Self-report cases (survey-answer endpoint 43528731) were included in discovery for greater GWAS power.

³No downstream analysis was run on the testicular cancer internal GWAS due to low power.

B.4 Cross-ancestry transport case counts

Table B4: Locked-test sample sizes and case counts for the cross-ancestry score-only AUC analysis for internal-discovery-only PRS. Testicular cancer results are not provided as no internal testicular cancer GWAS was run with sufficient power. Entries are reported as total n / number of cases.

Trait	EUR	AFR	AMR	EAS	MID	SAS
Multiple sclerosis	50,766 / 509	14,791 / 117	13,726 / 81	2,291 / ≤ 20	344 / ≤ 20	770 / ≤ 20
Alzheimer’s disease	23,404 / 144	4,072 / ≤ 20	2,635 / 26	470 / ≤ 20	90 / ≤ 20	130 / ≤ 20
Basal cell carcinoma	34,552 / 2,057	9,193 / ≤ 20	6,237 / 50	990 / ≤ 20	151 / ≤ 20	287 / ≤ 20
Inflammatory bowel disease	54,639 / 746	15,806 / 84	15,225 / 86	2,638 / ≤ 20	373 / ≤ 20	901 / ≤ 20
Type 2 diabetes	56,423 / 4,999	15,952 / 2,045	15,602 / 1,855	2,768 / 193	387 / 39	956 / 87
Gout	55,799 / 2,404	15,697 / 473	15,267 / 193	2,637 / 87	372 / ≤ 20	898 / ≤ 20
Melanoma	40,485 / 882	11,374 / ≤ 20	8,635 / 13	1,381 / ≤ 20	207 / ≤ 20	421 / ≤ 20
Psoriasis	55,338 / 731	15,889 / 55	15,326 / 112	2,639 / 23	376 / ≤ 20	900 / ≤ 20
Glaucoma	5,575 / 850	940 / 377	900 / 155	154 / 38	28 / ≤ 20	60 / ≤ 20
Prostate cancer	21,365 / 4,552	6,091 / 615	4,882 / 485	817 / 84	169 / 21	383 / 25
Hypertension	47,643 / 20,649	10,413 / 6,805	7,559 / 4,546	1,142 / 559	180 / 94	328 / 175
Osteoporosis	54,361 / 3,073	15,767 / 268	15,161 / 325	2,606 / 71	373 / ≤ 20	889 / ≤ 20
Breast cancer	29,754 / 1,857	8,553 / 324	8,891 / 290	1,479 / 56	176 / ≤ 20	386 / ≤ 20

B.5 Provenance for external consortia GWAS

Table B5: External non-biobank GWAS analyses used for polygenic score construction. Where available, GWAS summary statistics from UK Biobank, FinnGen, and MVP are used as well. These are not documented in this provenance table for brevity.

Trait	External GWAS Source
Alzheimer’s disease	EADB et al. [2026]
Type 2 diabetes	Suzuki et al. [2024]
Prostate cancer	Wang et al. [2023]
Glaucoma	Gharahkhani et al. [2021], Han et al. [2021]
Inflammatory bowel disease	De Lange et al. [2017]
Testicular cancer	Wang et al. [2017]
Psoriasis	Dand et al. [2025]
Breast cancer	Zhang et al. [2020]
Basal cell carcinoma	Seviiri et al. [2022]
Hypertension	Keaton et al. [2024]
Gout	Cho et al. [2024]

C Supplementary results

C.1 Liability-scale variance explained for external-permitted PRSs

Table C1: Liability-scale variance explained for our meta-analyses across 14 binary trait endpoints.

Trait	Liability R^2 [95% CI]
Alzheimer’s disease	24.91 [13.66, 38.41]
Type 2 diabetes	18.05 [16.82, 19.23]
Prostate cancer	17.32 [15.52, 19.15]
Glaucoma	16.28 [13.75, 18.93]
Inflammatory bowel disease	14.63 [12.45, 16.83]
Basal cell carcinoma	13.76 [12.07, 15.52]
Gout	13.14 [11.49, 14.84]
Testicular cancer	12.86 [7.69, 19.49]
Breast cancer	12.14 [10.29, 14.00]
Hypertension	11.83 [11.04, 12.60]
Multiple sclerosis	11.02 [9.13, 13.07]
Psoriasis	9.28 [7.33, 11.35]
Melanoma	7.69 [5.76, 10.05]
Osteoporosis	5.73 [4.83, 6.73]

C.2 Liability-scale variance explained for internal-only PRSs

Table C2: Performance of SAIGE-only polygenic scores across traits. For each trait, the total number of individuals in the test sample, the population prevalence matching [Moore et al., 2025], and the corresponding R_L^2 and predictive score-only AUC are reported, without covariate adjustment. Internal-only results for testicular cancer are not reported; the low case count in AoU prevents a meaningful discovery GWAS. Predictive AUC was only computed on the covariate-complete subset of the test set.

Trait	n_{test}	K	Internal-only R_L^2 % [95% CI]	Predictive AUC
Alzheimer’s disease	23,149	0.111	14.51 [7.01, 24.19]	0.650
Glaucoma	5,522	0.0702	2.68 [1.72, 3.89]	0.599
Gout	54,511	0.0705	5.88 [4.69, 7.14]	0.632
Type 2 diabetes	55,971	0.199	7.13 [6.30, 7.98]	0.624
Prostate cancer	21,365	0.1257	2.79 [2.26, 3.38]	0.587
Basal cell carcinoma	34,216	0.195	7.52 [6.17, 8.96]	0.636
Inflammatory bowel disease	54,196	0.0177	3.62 [2.60, 4.79]	0.634
Hypertension	36,279	0.4685	5.75 [5.18, 6.37]	0.602
Breast cancer	29,754	0.1387	1.15 [0.67, 1.73]	0.567
Psoriasis	54,886	0.029	2.78 [1.79, 4.07]	0.605
Multiple sclerosis	50,419	0.00365	6.22 [4.80, 7.79]	0.680
Melanoma	39,742	0.02975	5.17 [3.45, 7.05]	0.635
Osteoporosis	53,920	0.34	1.74 [1.20, 2.35]	0.570
Testicular cancer	—	—	<i>No internal GWAS analyses</i>	—

C.3 Within-family evaluation for external-permitted PRSs

Table C3: Within-family direct-effect estimates by parental-genotype stratum. Entries give the point estimate over the 95% bootstrap CI. $R_{\text{direct}}^{\text{sib}}$ is the sibship-contrast ratio $\beta_{\text{within}}/\beta_{\text{pop}}$ (2,000 whole-family bootstrap replicates); $R_{\text{direct}}^{\text{par}}$ is the Young parental-adjustment ratio restricted to probands with ≥ 1 genotyped parent (also 2,000 replicates). * non-interpretable under frozen feasibility gates (β_{pop} interval spans zero or modeled cases ≤ 20). The first two estimate columns are $R_{\text{direct}}^{\text{sib}}$; the last is $R_{\text{direct}}^{\text{par}}$. Parental-genotype composition is given as coarsened percentages of modeled probands; cells below the disclosure threshold are suppressed.

Trait	n_{mod}	Parents genotyped (%)			sibship contrast		parental adj.
		both	one	neither	all sibships	no parent	≥ 1 parent
Alzheimer's disease	3009	<1	3	97	0.60* [−6.30, 5.38]	1.31* [−0.41, 4.37]	—
Type 2 diabetes	15488	3	28	68	0.86 [0.76, 0.97]	0.86 [0.70, 1.03]	1.02 [0.86, 1.19]
Multiple sclerosis	13598	3	28	69	0.90 [0.56, 1.25]	1.16 [0.75, 1.72]	0.69* [0.22, 1.11]
Hypertension	13715	3	28	69	0.91 [0.80, 1.01]	1.00 [0.85, 1.16]	0.96 [0.77, 1.16]
Psoriasis	15113	3	28	69	0.94 [0.62, 1.25]	0.64 [0.02, 1.13]	1.05* [0.58, 1.55]
Glaucoma	9015	2	19	79	0.96 [0.67, 1.29]	0.85 [0.36, 1.30]	1.14* [0.23, 2.57]
Osteoporosis	14552	3	29	68	0.97 [0.73, 1.20]	1.00 [0.68, 1.32]	0.61* [−0.61, 1.44]
Basal cell carcinoma	6003	1	9	90	1.07 [0.78, 1.39]	1.01 [0.69, 1.35]	0.90* [0.05, 1.74]
Breast cancer	7120	3	29	68	1.08 [0.78, 1.39]	1.01 [0.54, 1.54]	0.54* [0.00, 0.95]
Gout	15345	3	28	69	1.09 [0.86, 1.33]	1.02 [0.72, 1.34]	1.55* [0.96, 2.46]
Prostate cancer	1279	3	27	70	1.11 [0.72, 1.60]	0.83 [0.38, 1.55]	0.85* [0.19, 1.78]
Inflammatory bowel disease	14786	3	28	68	1.13 [0.86, 1.41]	1.00 [0.61, 1.43]	0.67* [0.39, 0.94]
Melanoma	8097	2	15	83	1.24 [0.79, 1.84]	1.18 [0.67, 1.79]	1.67* [−1.65, 5.21]
Testicular cancer	1607	3	26	71	6.03* [−16.48, 29.66]	4.47* [2.82, 115.92]	8.27* [−84.48, 37.51]

C.4 Internal-only trained cross-ancestry transport

Table C4: Cross-ancestry score-only AUC for EUR-trained AoU-internal-only PRS. 95% confidence intervals are computed on 2000-replicate stratified bootstraps. Score-only PRS AUC was computed on the entire test set, including individuals missing covariate information that were excluded for other evaluations. Only estimates with more than 1 case are provided.

Trait	EUR	AFR	AMR	EAS	MID	SAS
Multiple sclerosis	0.690 [0.667, 0.714]	0.560 [0.509, 0.611]	0.610 [0.544, 0.675]	0.533 [0.330, 0.735]	0.662 [0.400, 0.889]	0.546 [0.280, 0.800]
Alzheimer's disease	0.648 [0.600, 0.699]	0.548 [0.403, 0.696]	0.705 [0.620, 0.785]	0.646 [0.601, 0.689]	0.837 [0.671, 0.959]	—
Basal cell carcinoma	0.635 [0.624, 0.648]	0.590 [0.354, 0.845]	0.667 [0.583, 0.743]	0.596 [0.004, 0.935]	—	—
Inflammatory bowel disease	0.635 [0.614, 0.654]	0.563 [0.506, 0.618]	0.623 [0.562, 0.687]	0.647 [0.481, 0.802]	0.553 [0.410, 0.736]	0.724 [0.576, 0.862]
Type 2 diabetes	0.624 [0.617, 0.632]	0.545 [0.532, 0.558]	0.592 [0.579, 0.606]	0.627 [0.585, 0.668]	0.570 [0.464, 0.666]	0.554 [0.495, 0.612]
Gout	0.613 [0.601, 0.624]	0.563 [0.538, 0.589]	0.646 [0.607, 0.685]	0.662 [0.610, 0.717]	0.735 [0.493, 0.930]	0.690 [0.555, 0.829]
Melanoma	0.612 [0.594, 0.632]	0.417 [0.208, 0.655]	0.640 [0.447, 0.820]	—	—	—
Psoriasis	0.604 [0.584, 0.625]	0.489 [0.409, 0.570]	0.560 [0.505, 0.617]	0.664 [0.544, 0.778]	0.485 [0.327, 0.710]	0.453 [0.295, 0.620]
Glaucoma	0.600 [0.579, 0.621]	0.581 [0.543, 0.617]	0.603 [0.553, 0.652]	0.535 [0.438, 0.636]	0.591 [0.318, 0.848]	0.758 [0.601, 0.890]
Prostate cancer	0.587 [0.578, 0.596]	0.532 [0.508, 0.555]	0.547 [0.519, 0.573]	0.548 [0.482, 0.615]	0.603 [0.448, 0.748]	0.511 [0.380, 0.642]
Hypertension	0.578 [0.573, 0.583]	0.534 [0.522, 0.545]	0.601 [0.589, 0.615]	0.623 [0.590, 0.655]	0.632 [0.547, 0.710]	0.588 [0.529, 0.650]
Osteoporosis	0.570 [0.559, 0.581]	0.543 [0.509, 0.578]	0.572 [0.541, 0.602]	0.556 [0.487, 0.623]	0.526 [0.390, 0.654]	0.622 [0.463, 0.775]
Breast cancer	0.567 [0.554, 0.580]	0.490 [0.456, 0.522]	0.527 [0.494, 0.559]	0.462 [0.382, 0.545]	0.480 [0.259, 0.719]	0.481 [0.329, 0.643]

D Specific trait concept roots

D.1 Basal cell carcinoma

Table D1: Basal cell carcinoma case condition concepts.

Concept ID	Concept name
602030	Primary basal cell carcinoma of skin of perianal area
602140	Primary basal cell carcinoma of skin of scrotum
602141	Primary basal cell carcinoma of skin of male genitalia
602666	Primary basal cell carcinoma of skin of right hip
602667	Primary basal cell carcinoma of skin of right shoulder
605435	Primary basal cell carcinoma of skin of left hip
605436	Primary basal cell carcinoma of skin of left shoulder
608890	Primary basal cell carcinoma of skin of right breast
608891	Primary basal cell carcinoma of skin of left breast
609123	Primary basal cell carcinoma of skin of left hand
609124	Primary basal cell carcinoma of skin of right hand
609125	Primary basal cell carcinoma of skin of labium majus
609198	Primary basal cell carcinoma of left upper eyelid
609199	Primary basal cell carcinoma of right upper eyelid
609200	Primary basal cell carcinoma of right lower eyelid
609201	Primary basal cell carcinoma of left lower eyelid
4110721	Basal cell carcinoma with eccrine differentiation
4112752	Basal cell carcinoma of skin
4115292	Basosquamous carcinoma of skin
4115293	Fibroepithelioma of Pinkus
4220171	Basal cell carcinoma of earlobe
4220181	Basal cell carcinoma of pinna sulcus
4220475	Basal cell carcinoma of antihelix of ear
4221229	Basal cell carcinoma of postauricular skin
4221232	Basal cell carcinoma of preauricular skin
4221981	Basal cell carcinoma of dorsum of nose
4221984	Basal cell carcinoma of tip of nose
4222105	Basal cell carcinoma of upper lip
4222107	Basal cell carcinoma of conchal bowl of ear
4222108	Basal cell carcinoma of antitragus
4222109	Basal cell carcinoma of tragus
4222110	Basal cell carcinoma of obverse of pinna
4222265	Basal cell carcinoma of ala nasi
4222266	Basal cell carcinoma of supratip of nose
4222267	Basal cell carcinoma of lower lip
4222268	Basal cell carcinoma of helix of ear
4223496	Basal cell carcinoma of lateral side wall of nose
4223497	Basal cell carcinoma – micronodular
4224745	Basal cell carcinoma of root of nose

Continued on next page

Table D1 – continued from previous page

Concept ID	Concept name
4291143	Basal cell carcinoma of lower eyelid
4291144	Basal cell carcinoma of lateral canthus
4291145	Basal cell carcinoma of anterior chest
4291146	Basal cell carcinoma – keratotic
4291147	Basal cell carcinoma with matrical differentiation
4291148	Metastatic basal cell carcinoma [†] (non-standard)
4291149	Basal cell carcinoma recurrent following excision
4291454	Basal cell carcinoma of nose
4292378	Basal cell carcinoma of medial canthus
4292379	Basal cell carcinoma of nasal columella
4292380	Basal cell carcinoma of nasolabial groove
4292381	Basal cell carcinoma of cheek
4292382	Basal cell carcinoma of abdomen
4292383	Basal cell carcinoma of upper back
4292384	Basal cell carcinoma of hand
4292385	Basal cell carcinoma with granular cell change
4292386	Basal cell carcinoma – first recurrence
4292387	Basal cell carcinoma – second recurrence
4294416	Basal cell carcinoma of ear
4295626	Pigmented basal cell carcinoma
4297182	Circumscribed solid basal cell carcinoma
4297183	Sclerosing morpheic basal cell carcinoma
4297184	Basal cell carcinoma of glabella
4297185	Basal cell carcinoma of upper eyelid
4297665	Basal cell carcinoma of chin
4297666	Basal cell carcinoma of neck
4297667	Basal cell carcinoma of upper extremity
4297668	Basal cell carcinoma of truncal skin
4297669	Basal cell carcinoma – adamantinoid
4297670	Basal cell carcinoma – follicular
4297671	Basal cell carcinoma – infiltrative
4297672	Basal cell carcinoma recurrent following cryosurgery
4297673	Basal cell carcinoma recurrent following radiotherapy
4297674	Basal cell carcinoma – third recurrence
4298031	Nodulo-ulcerative basal cell carcinoma
4298032	Basal cell carcinoma of scalp
4298033	Basal cell carcinoma of forehead
4298740	Basal cell carcinoma of skin of lip
4299416	Basal cell carcinoma of lower back
4299417	Basal cell carcinoma of face
4299418	Basal cell carcinoma of lower extremity
4299419	Basal cell carcinoma – adenoid
4299420	Basal cell carcinoma with monster cells
4299421	Basal cell carcinoma with sebaceous differentiation

Continued on next page

Table D1 – continued from previous page

Concept ID	Concept name
4299422	Basal cell carcinoma with signet ring change
4299423	Basal cell carcinoma – primary
4299424	Recurrent basal cell carcinoma
4299425	Basal cell carcinoma recurrent following Mohs' excision
4299426	Basal cell carcinoma recurrent following curettage
4299427	Basal cell carcinoma – multiple recurrences (more than three times)
4299996	PUVA therapy-associated basal cell carcinoma
4300563	Cystic basal cell carcinoma
4300564	Superficial basal cell carcinoma
4300565	Basal cell carcinoma of temple
4307538	Basal cell carcinoma of back
4308629	Basal cell carcinoma of external auditory canal
4313482	Basal cell carcinoma of auricle of ear
4313634	Basal cell carcinoma of chest wall
4335883	Basal cell carcinoma of eyelid
36712711	Primary basal cell carcinoma of left upper limb
36712712	Primary basal cell carcinoma of left ear
36712713	Primary basal cell carcinoma of left eyelid
36712714	Primary basal cell carcinoma of right ear
36712715	Primary basal cell carcinoma of right eyelid
36712716	Primary basal cell carcinoma of right lower limb
36713415	Basal cell carcinoma of vulva
36717018	Primary basal cell carcinoma of left lower limb
36717259	Primary basal cell carcinoma of right upper limb
37016571	Basal cell carcinoma of naris
37396458	Nodular basal cell carcinoma of skin

Table D2: Basal cell carcinoma-specific procedure concepts.

Concept ID	Concept name
3181661	Mohs removal of basal cell carcinoma
4100935	Cryotherapy of basal cell carcinoma
4114319	Excision of basal cell carcinoma
4181318	Excisional biopsy of basal cell carcinoma
42537228	Excision of basal cell carcinoma from right postauricular region with closure
45766358	Excision of postauricular basal cell carcinoma with closure

D.2 Breast cancer

Table D3: 256 Primary breast malignancy case concepts.

Concept ID	Concept name
36402993	Paget disease in situ and intraductal carcinoma (C50._) of nipple
36403075	Paget disease, mammary in situ (C50._) of nipple
759932	Infiltrating duct carcinoma of left female breast
759933	Infiltrating duct carcinoma of right female breast
761170	Infiltrating duct carcinoma of bilateral female breasts
36517460	Mucin-producing adenocarcinoma of nipple
36517509	Malignant tumor, clear cell type of nipple
36517515	Mucinous cystadenocarcinoma, NOS, of nipple
36517806	Hemangiosarcoma of nipple
36517996	Basal cell adenocarcinoma of nipple
36518002	Duct carcinoma, desmoplastic type of nipple
36518332	Infiltrating ductular carcinoma of nipple
36518576	Phyllodes tumor, malignant of nipple
36518802	Signet ring cell carcinoma of nipple
36520200	Squamous cell carcinoma, NOS, of nipple
36520783	Small cell sarcoma of nipple
36521490	Langerhans cell sarcoma of nipple
36521708	B lymphoblastic leukemia/lymphoma, NOS, of nipple
36521743	Fibroblastic reticular cell tumor of nipple
36522135	Solid carcinoma, NOS, of nipple
36522597	Intraductal papillary adenocarcinoma with invasion of nipple
36522605	Medullary carcinoma with lymphoid stroma of nipple
36522838	Large cell carcinoma, NOS, of nipple
36523238	Hodgkin sarcoma of nipple
36523456	Dedifferentiated liposarcoma of nipple
36523513	B lymphoblastic leukemia/lymphoma with t(v;11q23); MLL rearranged of nipple
36523586	Sezary syndrome of nipple
36523645	Follicular lymphoma, grade 3 of nipple
36523688	Verrucous carcinoma, NOS, of nipple
36523859	Mesenchymoma, malignant of nipple
36524088	Leiomyosarcoma, NOS, of nipple
36524161	Malignant lymphoma, NOS, of nipple
36525094	Precursor T-cell lymphoblastic leukemia of nipple
36525641	Epithelioid leiomyosarcoma of nipple
36525676	Epithelioid sarcoma, NOS, of nipple
36525707	Myxofibrosarcoma of nipple
36525748	T-cell/histiocyte rich large B-cell lymphoma of nipple
36526585	Polygonal cell carcinoma of nipple
36527177	Round cell liposarcoma of nipple
36527390	Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis of nipple
36527656	Mast cell sarcoma of nipple

Continued on next page

Table D3 – continued from previous page

Concept ID	Concept name
36528520	Fibrosarcoma, NOS, of nipple
36528635	Infiltrating lobular mixed with other types of carcinoma of nipple
36528685	Lipid-rich carcinoma of nipple
36529601	Mature T-cell lymphoma, NOS, of nipple
36529700	Systemic EBV positive T-cell lymphoproliferative disease of childhood of nipple
36530281	Intravascular large B-cell lymphoma of nipple
36530356	Neuroendocrine carcinoma, NOS, of nipple
36530388	Myxoid liposarcoma of nipple
36530409	Secretory carcinoma of nipple
36530435	Squamous cell carcinoma, keratinizing, NOS, of nipple
36530498	Glassy cell carcinoma of nipple
36530708	Myeloid or lymphoid neoplasm with PDGFRA rearrangement of nipple
36531090	Polymorphous adenocarcinoma of nipple
36531354	Carcinoma with osteoclast-like giant cells of nipple
36531426	Rhabdomyosarcoma, NOS, of nipple
36531652	Squamous cell carcinoma, small cell, nonkeratinizing of nipple
36532344	Hodgkin lymphoma, lymphocyte-rich of nipple
36532444	Stromal sarcoma, NOS, of nipple
36532451	Giant cell sarcoma of nipple
36532695	Giant cell and spindle cell carcinoma of nipple
36532838	Angioimmunoblastic T-cell lymphoma of nipple
36533887	Carcinosarcoma, NOS, of nipple
36534084	Acinar cell cystadenocarcinoma of nipple
36534130	Plasmacytoma, extramedullary of nipple
36534279	Pleomorphic carcinoma of nipple
36536105	Epithelial-myoepithelial carcinoma of nipple
36536346	Hodgkin lymphoma, nodular sclerosis, cellular phase of nipple
36536630	Mantle cell lymphoma of nipple
36536968	B lymphoblastic leukemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1 of nipple
36537556	Hodgkin lymphoma, lymphocyte depletion, NOS, of nipple
36538039	Myoepithelial carcinoma of nipple
36538045	Solitary fibrous tumor, malignant of nipple
36538093	Small cell carcinoma, fusiform cell of nipple
36538776	Myosarcoma of nipple
36538924	Hodgkin lymphoma, NOS, of nipple
36538949	Adenoid cystic carcinoma of nipple
36539400	Malignant histiocytosis of nipple
36539962	Spindle cell sarcoma of nipple
36540505	Hodgkin lymphoma, nodular sclerosis, NOS, of nipple
36540867	Papillary squamous cell carcinoma of nipple
36540965	Hodgkin lymphoma, nodular lymphocyte predominant of nipple
36541084	Osteosarcoma, NOS, of nipple
36541280	Burkitt lymphoma, NOS, of nipple
36541476	Metaplastic carcinoma, NOS, of nipple

Continued on next page

Table D3 – continued from previous page

Concept ID	Concept name
36541792	Adenocarcinoma with spindle cell metaplasia of nipple
36541890	Liposarcoma, well differentiated, NOS, of nipple
36542159	Interdigitating dendritic cell sarcoma of nipple
36542372	Giant cell carcinoma of nipple
36542432	Squamous cell carcinoma, large cell, nonkeratinizing, NOS, of nipple
36542493	Hodgkin lymphoma, nodular sclerosis, grade 2 of nipple
36542809	Malignant tumor, giant cell type of nipple
36543218	Hodgkin granuloma of nipple
36543496	B lymphoblastic leukemia/lymphoma with t(5;14)(q31;q32); IL3-IGH of nipple
36543766	Desmoplastic small round cell tumor of nipple
36543781	Diffuse large B-cell lymphoma, NOS, of nipple
36543906	Myeloid or lymphoid neoplasm with FGFR1 abnormalities of nipple
36544024	Epithelioma, malignant of nipple
36544249	Follicular lymphoma, grade 1 of nipple
36544449	B lymphoblastic leukemia/lymphoma with hypodiploidy (Hypodiploid ALL) of nipple
36544796	Malignant lymphoma, non-Hodgkin, NOS, of nipple
36545441	Embryonal sarcoma of nipple
36545927	Hodgkin lymphoma, mixed cellularity, NOS, of nipple
36546031	Superficial spreading adenocarcinoma of nipple
36546372	Undifferentiated sarcoma of nipple
36546405	Small cell carcinoma, NOS, of nipple
36547138	Malignant tumor, spindle cell type of nipple
36547472	Follicular lymphoma, NOS, of nipple
36547912	Carcinoma, undifferentiated, NOS, of nipple
36548236	Pleomorphic liposarcoma of nipple
36548604	Malignant mastocytosis of nipple
36549874	Hemangioendothelioma, malignant of nipple
36550109	Cystadenocarcinoma, NOS, of nipple
36550313	Composite Hodgkin and non-Hodgkin lymphoma of nipple
36550519	Squamous cell carcinoma, microinvasive of nipple
36550807	Spindle cell carcinoma, NOS, of nipple
36551299	Adenocarcinoma with mixed subtypes of nipple
36551719	Adenocarcinoma with neuroendocrine differentiation of nipple
36551860	T-cell large granular lymphocytic leukemia of nipple
36552133	Alveolar soft part sarcoma of nipple
36552161	Squamous cell carcinoma, adenoid of nipple
36552167	B lymphoblastic leukemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1) of nipple
36552573	Squamous cell carcinoma, spindle cell of nipple
36553240	Myeloproliferative neoplasm, unclassifiable of nipple
36553345	Langerhans cell histiocytosis, disseminated of nipple
36553527	Medullary carcinoma, NOS, of nipple
36553810	Adenocarcinoma with squamous metaplasia of nipple
36553938	Fibroblastic liposarcoma of nipple

Continued on next page

Table D3 – continued from previous page

Concept ID	Concept name
36553980	Carcinoma, anaplastic, NOS, of nipple
36554216	Malignant lymphoma, large B-cell, diffuse, immunoblastic, NOS, of nipple
36554300	NK/T-cell lymphoma, nasal and nasal type of nipple
36554533	Apocrine adenocarcinoma of nipple
36554750	Mixed liposarcoma of nipple
36554874	Cystic hypersecretory carcinoma of nipple
36555654	Papillary adenocarcinoma, NOS, of nipple
36555657	Carcinoma simplex of nipple
36556060	Epithelioid hemangioendothelioma, NOS, of nipple
36556222	Mixed cell adenocarcinoma of nipple
36556445	Malignant tumor, small cell type of nipple
36556821	Encapsulated papillary carcinoma with invasion of nipple
36557153	Adenocarcinoma with cartilaginous and osseous metaplasia of nipple
36557205	Anaplastic large cell lymphoma, T-cell and Null-cell type of nipple
36557226	Sarcoma, NOS, of nipple
36557230	Pseudosarcomatous carcinoma of nipple
36557277	Squamous cell carcinoma with horn formation of nipple
36557321	Oxyphilic adenocarcinoma of nipple
36557877	Lymphoplasmacytic lymphoma of nipple
36559780	Granular cell tumor, malignant of nipple
36559859	Large cell carcinoma with rhabdoid phenotype of nipple
36559944	B lymphoblastic leukemia/lymphoma with hyperdiploidy of nipple
36560055	Sebaceous carcinoma of nipple
36560424	Histiocytic sarcoma of nipple
36561380	Infantile fibrosarcoma of nipple
36561381	Clear cell adenocarcinoma, NOS, of nipple
36562037	Carcinosarcoma, embryonal of nipple
36562231	Marginal zone B-cell lymphoma, NOS, of nipple
36562484	B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma of nipple
36562616	Neoplasm, malignant of nipple
36563045	Tumor cells, malignant of nipple
36563176	Malignant lymphoma, mixed small and large cell, diffuse of nipple
36563615	Large cell neuroendocrine carcinoma of nipple
36563848	Granular cell carcinoma of nipple
36563907	Hodgkin lymphoma, lymphocyte depletion, reticular of nipple
36564008	Follicular lymphoma, grade 2 of nipple
36564200	Fascial fibrosarcoma of nipple
36564604	Glycogen-rich carcinoma of nipple
36564713	Myxoid leiomyosarcoma of nipple
36565000	Liposarcoma, NOS, of nipple
36565551	Precursor cell lymphoblastic lymphoma, NOS, of nipple
36566123	Plasmacytoma, NOS, of nipple
36566267	Acinar cell carcinoma of nipple
36566310	Trabecular adenocarcinoma of nipple

Continued on next page

Table D3 – continued from previous page

Concept ID	Concept name
36566588	Follicular dendritic cell sarcoma of nipple
36566773	Adenocarcinoma with apocrine metaplasia of nipple
36566941	Alveolar adenocarcinoma of nipple
36567217	Adenocarcinoma in villous adenoma of nipple
36567418	Comedocarcinoma, NOS, of nipple
36567537	Adenosquamous carcinoma of nipple
36567866	B lymphoblastic leukemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1) of nipple
36567991	Hodgkin lymphoma, nodular sclerosis, grade 1 of nipple
36568025	Angiomyosarcoma of nipple
36712719	Infiltrating ductal carcinoma of upper inner quadrant of left female breast
36712720	Infiltrating ductal carcinoma of upper outer quadrant of left female breast
36712721	Infiltrating ductal carcinoma of central portion of right female breast
36712722	Infiltrating ductal carcinoma of upper inner quadrant of right female breast
36712723	Infiltrating ductal carcinoma of upper outer quadrant of right female breast
36712724	Infiltrating lobular carcinoma of left female breast
36712725	Infiltrating lobular carcinoma of right female breast
36717260	Infiltrating ductal carcinoma of central portion of left female breast
37016439	Primary invasive malignant neoplasm of female breast
37018660	Primary malignant inflammatory neoplasm of female breast
37208322	Infiltrating ductal carcinoma of axillary tail of left female breast
37208324	Infiltrating ductal carcinoma of lower inner quadrant of left female breast
37208325	Infiltrating ductal carcinoma of lower outer quadrant of left female breast
37208326	Infiltrating ductal carcinoma of axillary tail of right female breast
37208328	Infiltrating ductal carcinoma of lower inner quadrant of right female breast
37208329	Infiltrating ductal carcinoma of lower outer quadrant of right female breast
40486565	Sarcoma of axillary tail of female breast
40489485	Sarcoma of lower outer quadrant of female breast
40489897	Sarcoma of upper inner quadrant of female breast
40489927	Sarcoma lower inner quadrant of female breast
40489928	Sarcoma of central portion of female breast
40489942	Sarcoma of female breast
40489945	Sarcoma upper outer quadrant of female breast
40492507	Infiltrating duct carcinoma of female breast
42512247	Plasmablastic lymphoma of nipple
42512452	HHV8 positive diffuse large B-cell lymphoma of nipple
42512503	Myofibroblastic sarcoma of nipple
42512576	ALK positive large B-cell lymphoma of nipple
42512817	Adenomyoepithelioma with carcinoma of nipple
42512849	Invasive micropapillary carcinoma of breast of nipple
42512881	Solid papillary carcinoma with invasion of nipple
44499448	Paget disease and infiltrating duct carcinoma of breast of nipple
44499538	Cribriform carcinoma, NOS, of nipple
44499675	Carcinoma, NOS, of nipple

Continued on next page

Table D3 – continued from previous page

Concept ID	Concept name
44499753	Infiltrating duct mixed with other types of carcinoma of nipple
44499790	Papillary carcinoma, NOS, of nipple
44499805	Tubular adenocarcinoma of nipple
44500370	Paget disease and intraductal carcinoma of breast of nipple
44500439	Adenocarcinoma, NOS, of nipple
44500441	Scirrhous adenocarcinoma of nipple
44500599	Infiltrating duct carcinoma, NOS, of nipple
44500882	Lobular carcinoma, NOS, of nipple
44500940	Infiltrating duct and lobular carcinoma of nipple
44501583	Inflammatory carcinoma of nipple
44501805	Atypical medullary carcinoma of nipple
44501894	Mucinous adenocarcinoma of nipple
133711	Overlapping malignant neoplasm of female breast
137809	Primary malignant neoplasm of female breast
432263	Primary malignant neoplasm of lower inner quadrant of female breast
432845	Primary malignant neoplasm of central portion of female breast
433148	Primary malignant neoplasm of areola of female breast
436353	Primary malignant neoplasm of upper outer quadrant of female breast
440956	Primary malignant neoplasm of upper inner quadrant of female breast
441515	Primary malignant neoplasm of lower outer quadrant of female breast
442127	Primary malignant neoplasm of nipple of female breast
765123	Primary malignant neoplasm of female right breast
4091464	Malignant neoplasm of nipple and areola of female breast
4091465	Malignant neoplasm of upper-outer quadrant of female breast
4091466	Malignant neoplasm of lower-outer quadrant of female breast
4091467	Malignant neoplasm of axillary tail of female breast
4092511	Malignant neoplasm of central part of female breast
4092512	Malignant neoplasm of upper-inner quadrant of female breast
4095740	Malignant neoplasm of lower-inner quadrant of female breast
4095741	Malignant neoplasm of ectopic site of female breast
4157332	Malignant neoplasm of female breast
4246036	Primary malignant neoplasm of ectopic female breast tissue
36684817	Primary malignant neoplasm of axillary tail of left female breast
36684818	Primary malignant neoplasm of female left breast
36684819	Primary malignant neoplasm of central portion of female left breast
36684820	Primary malignant neoplasm of axillary tail of right female breast
36684821	Primary malignant neoplasm of central portion of female right breast
36712738	Recurrent primary malignant neoplasm of left female breast
36712739	Recurrent primary malignant neoplasm of right female breast
36712934	Primary malignant neoplasm of bilateral female breasts
40486563	Carcinoma of female breast

Table D4: Metastatic or metastatic breast cancer concepts used to block controls.

Concept ID	Concept name
140960	Metastatic malignant neoplasm of female breast
4110019	Metastasis to breast of unknown primary [†] (updated)
4246350	Metastatic malignant neoplasm of areola of female breast
4246352	Metastatic malignant neoplasm of axillary tail of female breast
4248184	Metastatic malignant neoplasm of nipple of female breast
4312296	Metastatic malignant neoplasm of ectopic female breast tissue
4312544	Metastatic malignant neoplasm of lower inner quadrant of female breast
4312546	Metastatic malignant neoplasm of lower outer quadrant of female breast
4312938	Metastatic malignant neoplasm of central portion of female breast
4314072	Metastatic malignant neoplasm of upper inner quadrant of female breast
4314189	Metastatic malignant neoplasm of upper outer quadrant of female breast

D.3 Hypertension

Table D5: Essential-hypertension case concepts.

Concept ID	Concept name
312648	Benign essential hypertension
317898	Malignant essential hypertension
320128	Essential hypertension
4034031	Benign essential hypertension complicating AND/OR reason for care during pregnancy
4058987	High-renin essential hypertension
4083723	Essential hypertension complicating AND/OR reason for care during childbirth
4148205	Benign essential hypertension complicating AND/OR reason for care during puerperium
4159755	Labile essential hypertension
4180283	Systolic essential hypertension
4215640	Benign essential hypertension complicating AND/OR reason for care during childbirth
4217486	Essential hypertension in obstetric context
4263067	Low-renin essential hypertension
4269358	Benign essential hypertension in obstetric context
4302591	Essential hypertension complicating AND/OR reason for care during pregnancy
4321603	Essential hypertension complicating AND/OR reason for care during puerperium
45757787	Postpartum pre-existing essential hypertension

Table D6: Hypertension control-blocking concepts.

Concept ID	Concept name
134414	Pre-eclampsia or eclampsia with pre-existing hypertension – delivered with postnatal complication [†] (deprecated)
135601	Pre-eclampsia or eclampsia with pre-existing hypertension – delivered [†] (deprecated)
136743	Pre-eclampsia or eclampsia with pre-existing hypertension – not delivered [†] (deprecated)
141084	Pre-eclampsia or eclampsia with pre-existing hypertension
192684	Renal hypertension complicating pregnancy, childbirth and the puerperium – not delivered [†] (deprecated)
197930	Renal hypertension complicating pregnancy, childbirth and the puerperium
200157	Renal hypertension complicating pregnancy, childbirth and the puerperium – delivered [†] (deprecated)
201912	Renal hypertension complicating pregnancy, childbirth and the puerperium – delivered with postnatal complication [†] (deprecated)

Continued on next page

Table D6 – continued from previous page

Concept ID	Concept name
312648	Benign essential hypertension
314103	Benign essential hypertension complicating pregnancy, childbirth and the puerperium – delivered [†] (deprecated)
314423	Benign essential hypertension complicating pregnancy, childbirth and the puerperium – not delivered [†] (deprecated)
314958	Benign secondary hypertension
316866	Hypertensive disorder
317895	Renovascular hypertension
317898	Malignant essential hypertension
318437	Malignant secondary hypertension
319826	Secondary hypertension
320128	Essential hypertension
320456	Benign essential hypertension complicating pregnancy, childbirth and the puerperium – delivered with postnatal complication [†] (deprecated)
321074	Pre-existing hypertension complicating pregnancy, childbirth and puerperium
321080	Hypertension complicating pregnancy, childbirth and the puerperium
321638	Benign essential hypertension complicating pregnancy, childbirth and the puerperium
443771	Renal hypertension
1340364	Exacerbation of hypertensive disorder
3169253	Hypertension with apparent mineralocorticoid excess
3191244	Hypertension with hyperadrenergic findings
3656115	Hypertension due to aortic arch obstruction
4006325	Hypertension secondary to renal disease in obstetric context
4023318	Malignant hypertension complicating AND/OR reason for care during childbirth
4028741	Benign hypertension
4028951	Malignant hypertension complicating AND/OR reason for care during puerperium
4032952	Renal sclerosis with hypertension
4034031	Benign essential hypertension complicating AND/OR reason for care during pregnancy
4048212	Goldblatt hypertension
4049389	Paroxysmal hypertension
4057978	Pre-existing hypertensive heart and renal disease complicating pregnancy, childbirth and the puerperium
4057979	Pre-existing secondary hypertension complicating pregnancy, childbirth and puerperium
4058987	High-renin essential hypertension
4061667	Hypertension induced by oral contraceptive pill
4062550	Pre-eclampsia or eclampsia with pre-existing hypertension with postnatal complication
4062811	Benign essential hypertension complicating pregnancy, childbirth and the puerperium with postnatal complication

Continued on next page

Table D6 – continued from previous page

Concept ID	Concept name
4080325	Chronic hypertension complicating AND/OR reason for care during puerperium
4083723	Essential hypertension complicating AND/OR reason for care during childbirth
4094374	Hypertension secondary to renal disease complicating AND/OR reason for care during childbirth
4108213	Hypertension secondary to drug
4110947	Malignant secondary renovascular hypertension
4110948	Hypertension secondary to endocrine disorder
4118910	Maternal hypertension
4146816	Pre-existing hypertension complicating AND/OR reason for care during childbirth
4148205	Benign essential hypertension complicating AND/OR reason for care during puerperium
4151903	Pre-existing hypertension complicating AND/OR reason for care during puerperium
4159755	Labile essential hypertension
4162306	Malignant hypertension complicating AND/OR reason for care during pregnancy
4167358	Diastolic hypertension
4174979	Hypertension secondary to renal disease complicating AND/OR reason for care during pregnancy
4178312	Hypertension secondary to kidney transplant
4180283	Systolic essential hypertension
4209293	Systolic hypertension
4212496	Parenchymal renal hypertension
4215640	Benign essential hypertension complicating AND/OR reason for care during childbirth
4217486	Essential hypertension in obstetric context
4218088	Malignant hypertension in obstetric context
4219323	Hypertension secondary to renal disease complicating AND/OR reason for care during puerperium
4221991	Rebound hypertension
4227607	Chronic hypertension in obstetric context
4242878	Sustained diastolic hypertension
4249016	Benign secondary renovascular hypertension
4253928	Secondary diastolic hypertension
4262182	Hypertension with albuminuria
4263067	Low-renin essential hypertension
4269358	Benign essential hypertension in obstetric context
4276511	Labile diastolic hypertension
4277110	Pre-existing hypertension complicating AND/OR reason for care during pregnancy
4279525	Hypertension in the obstetric context
4283352	Pre-eclampsia added to pre-existing hypertension

Continued on next page

Table D6 – continued from previous page

Concept ID	Concept name
4289142	Eclampsia added to pre-existing hypertension
4289933	Malignant hypertension
4291933	Chronic hypertension complicating AND/OR reason for care during pregnancy
4302591	Essential hypertension complicating AND/OR reason for care during pregnancy
4304837	Chronic hypertension complicating AND/OR reason for care during childbirth
4305599	Renal arterial hypertension
4311246	Pre-existing hypertension in obstetric context
4321603	Essential hypertension complicating AND/OR reason for care during puerperium
4322735	Hypertension associated with transplantation
35624277	Hypertension due to gain-of-function mutation in mineralocorticoid receptor
36713024	Labile systemic arterial hypertension
36715087	Brachydactyly and arterial hypertension syndrome
37016726	Supine hypertension
37208172	Resistant hypertensive disorder
40481896	Hypertensive urgency
42538697	Diastolic hypertension and systolic hypertension
42538946	Hypertension complicating pregnancy
42873163	Hypertension complicating pregnancy, childbirth and the puerperium, antepartum
43020424	Hypertensive emergency
44783643	Intermittent hypertension
44784484	Hypertension in the puerperium with pulmonary edema
44809026	Stage 1 hypertension (NICE – National Institute for Health and Clinical Excellence 2011)
44809027	Severe hypertension (NICE – National Institute for Health and Clinical Excellence 2011)
44809548	Hypertension resistant to drug therapy
44809569	Stage 2 hypertension (NICE – National Institute for Health and Clinical Excellence 2011)
44811110	Nocturnal hypertension
44811932	Stage 1 hypertension (NICE 2011) without evidence of end organ damage
44811933	Stage 1 hypertension (NICE 2011) with evidence of end organ damage
45757119	Eclampsia with pre-existing hypertension in childbirth
45757137	Pre-existing hypertensive heart and chronic kidney disease in mother complicating childbirth
45757356	Pre-existing hypertensive chronic kidney disease in mother complicating pregnancy
45757444	Hypertension in chronic kidney disease stage 5 due to type 2 diabetes mellitus
45757445	Hypertension in chronic kidney disease stage 4 due to type 2 diabetes mellitus
45757446	Hypertension in chronic kidney disease stage 3 due to type 2 diabetes mellitus
45757447	Hypertension in chronic kidney disease stage 2 due to type 2 diabetes mellitus
45757756	Page kidney

Continued on next page

Table D6 – continued from previous page

Concept ID	Concept name
45757787	Postpartum pre-existing essential hypertension
45768449	Hypertensive crisis
45771064	Hypertension in chronic kidney disease due to type 2 diabetes mellitus
45771067	Hypertension in chronic kidney disease due to type 1 diabetes mellitus

D.4 Inflammatory bowel disease

Table D7: Inflammatory bowel disease case concepts.

Concept ID	Concept name
77317	Chronic ulcerative rectosigmoiditis
78799	Chronic ulcerative ileocolitis
81893	Ulcerative colitis
194077	Chronic ulcerative enterocolitis
194684	Crohn's disease of large bowel
195575	Crohn's disease of small and large intestines
195585	Crohn's disease of small intestine
201606	Crohn's disease
602593	Acute ulcerative pancolitis
602594	Acute left-sided ulcerative colitis
602607	Acute ulcerative rectosigmoiditis
1340297	Exacerbation of Crohn's disease
1340490	Exacerbation of ulcerative colitis
1340491	Exacerbation of ulcerative proctocolitis
3184226	Pancolonic ulcerative colitis
4025853	Ulcerative ileocolitis
4029372	Acute ulcerative colitis
4031048	Severe chronic ulcerative colitis
4055020	Crohn's disease of terminal ileum
4055884	Crohn's disease of oral soft tissues
4086978	Eosinophilic ulcerative colitis
4122617	Crohn's disease of gingivae
4142544	Crohn's disease in remission
4166480	Ulcerative proctocolitis
4177488	Crohn's disease of colon
4187900	Exacerbation of ulcerative colitis
4210469	Crohn's disease of duodenum
4212991	Exacerbation of Crohn's disease of large intestine
4212992	Exacerbation of Crohn's disease of small intestine
4239382	Crohn's disease of jejunum
4242392	Crohn's disease of rectum
4244235	Crohn's disease of ileum
4246693	Crohn's disease of intestine
4259504	Iritis with ulcerative colitis
4264850	Gastrointestinal Crohn's disease
4266370	Crohn's disease of pylorus
4301738	Mild chronic ulcerative colitis
4302002	Moderate chronic ulcerative colitis
4323289	Crohn's disease of pyloric antrum
4340114	Crohn's disease of esophagus
4341633	Indeterminate colitis

Continued on next page

Table D7 – continued from previous page

Concept ID	Concept name
4342643	Crohn's disease of stomach
4342656	Ulcerative enterocolitis
36686095	Crohn's disease of small intestine with stenosis
36715915	Crohn disease of anal canal
36716695	Crohn's disease of gastrointestinal anastomosis
36716986	Arthritis co-occurrent and due to Crohn's disease
37116446	Crohn disease of appendix
40479837	Chronic ulcerative colitis
40479839	Ulcerative pancolitis
40481367	Chronic left-sided ulcerative colitis
40482241	Chronic ulcerative pancolitis
40482865	Left sided ulcerative colitis
42537666	Crohn disease of upper gastrointestinal tract
44783784	Ulcerative colitis in remission
46269838	Abscess of intestine co-occurrent and due to chronic ulcerative pancolitis
46269848	Abscess of intestine co-occurrent and due to chronic ulcerative rectosigmoiditis
46269878	Abscess of intestine co-occurrent and due to Crohn's disease of small and large intestine
46269883	Abscess of intestine co-occurrent and due to Crohn's disease of small intestine
46269888	Abscess of intestine co-occurrent and due to Crohn's disease
46269951	Abscess of intestine co-occurrent and due to ulcerative colitis
46274073	Abscess of intestine co-occurrent and due to Crohn's disease of large intestine

Table D8: Inflammatory bowel disease control-exclusion concepts.

Concept ID	Concept name
192960	Noninfectious gastroenteritis
201773	Enteritis of small intestine
443865	Noninfectious colitis
4074815	Inflammatory bowel disease
4083999	Noninfectious jejunitis
4145072	Noninfective enteritis and colitis
4196810	Noninfectious ileitis
4201583	Noninfectious sigmoiditis
4234755	Idiopathic chronic inflammatory bowel disease [†] (updated)
4272488	Colitis
4324838	Noninfectious enteritis of intestine

D.5 Melanoma

Table D9: Invasive cutaneous melanoma case concepts.

Concept ID	Concept name
133419	Overlapping malignant melanoma of skin
133713	Malignant melanoma of skin of face
133714	Malignant melanoma of skin of trunk
134294	Malignant melanoma of skin of external auditory canal
139757	Malignant melanoma of skin of lower limb
140048	Malignant melanoma of skin of lip
141232	Malignant melanoma of skin
434590	Malignant melanoma of skin of eyelid
438983	Malignant melanoma of skin of upper limb
440050	Malignant melanoma of skin of neck
442143	Malignant melanoma of skin of scalp
444462	Malignant melanoma of skin of ear
602586	Malignant melanoma of skin of right ankle
602588	Malignant melanoma of skin of right wrist
602597	Malignant melanoma of skin of left wrist
604286	Malignant melanoma of skin of left forearm
608893	Bilateral malignant melanoma of skin of lower limbs
608894	Bilateral malignant melanoma of skin of upper limbs
616697	Malignant melanoma of skin of left ankle
619931	Malignant melanoma of skin of right forearm
3183080	Malignant melanoma of skin with BRAF V600E sequence variant
4080901	Amelanotic malignant melanoma of skin
4092364	Malignant melanoma of auricle (ear)
4095591	Malignant melanoma of temple [†] (updated)
4110725	Superficial spreading malignant melanoma of skin
4110726	Acral lentiginous malignant melanoma of skin
4110727	Malignant melanoma arising in intradermal nevus
4112760	Nodular malignant melanoma of skin
4115298	Malignant melanoma arising in congenital nevus
4116198	Lentigo maligna melanoma
4141249	Malignant blue nevus of skin
4244049	Malignant melanoma of skin of abdomen
4244050	Malignant melanoma of skin of back
4244051	Malignant melanoma of skin of breast
4244166	Malignant melanoma of skin of cheek
4244167	Malignant melanoma of skin of chin
4244168	Malignant melanoma of skin of finger
4244169	Malignant melanoma of skin of foot
4244170	Malignant melanoma of skin of forearm
4244488	Malignant melanoma of skin of nose
4244489	Malignant melanoma of skin of perineum

Continued on next page

Table D9 – continued from previous page

Concept ID	Concept name
4245465	Malignant melanoma of skin of ankle
4245466	Malignant melanoma of skin of axilla
4245467	Malignant melanoma of skin of buttock
4245918	Malignant melanoma of skin of eyebrow
4245919	Malignant melanoma of skin of groin
4246470	Malignant melanoma of perianal skin
4246472	Malignant melanoma of skin of chest
4246473	Malignant melanoma of skin of elbow
4246474	Malignant melanoma of skin of forehead
4246790	Malignant melanoma of skin of hip
4246791	Malignant melanoma of skin of popliteal area
4246792	Malignant melanoma of skin of temporal region
4247221	Malignant melanoma of skin of hand
4247224	Malignant melanoma of skin of thigh
4247225	Malignant melanoma of skin of umbilicus
4247226	Malignant melanoma of skin of wrist
4247713	Malignant melanoma of skin of knee
4247714	Malignant melanoma of skin of shoulder
4247715	Malignant melanoma of skin of toe
4300096	PUVA therapy-associated malignant melanoma
4309088	Malignant melanoma of skin of upper lip
4309539	Malignant melanoma of skin of lower eyelid
4310839	Malignant melanoma of skin of lower lip
4313171	Malignant melanoma of skin of canthus of eye
4313205	Malignant melanoma of skin of upper eyelid
35617772	Malignant melanoma of skin of left upper limb
36518338	Malignant melanoma in precancerous melanosis of skin of trunk
36519380	Malignant melanoma arising in giant congenital nevus of skin of lower limb and hip
36519480	Malignant melanoma in junctional nevus of skin of lower limb and hip
36521362	Acral melanoma of skin of lip, NOS
36521679	Malignant melanoma arising in giant congenital nevus of skin, NOS
36521926	Amelanotic melanoma of skin of lower limb and hip
36522683	Balloon cell melanoma of skin of lower limb and hip
36523026	Malignant melanoma, regressing of skin of lower limb and hip
36524101	Malignant melanoma, regressing of skin of other and unspecified parts of face
36525177	Nodular melanoma of skin of upper limb and shoulder
36525199	Malignant melanoma, regressing of external ear
36526412	Acral melanoma of eyelid
36526559	Amelanotic melanoma of skin of upper limb and shoulder
36526622	Acral melanoma of overlapping lesion of skin
36527048	Balloon cell melanoma of skin, NOS
36527205	Malignant melanoma, regressing of skin of upper limb and shoulder
36528293	Balloon cell melanoma of external ear

Continued on next page

Table D9 – continued from previous page

Concept ID	Concept name
36529065	Malignant melanoma, regressing of eyelid
36529357	Blue nevus, malignant of skin of other and unspecified parts of face
36529405	Lentigo maligna melanoma of overlapping lesion of skin
36532308	Malignant melanoma arising in giant congenital nevus of skin of upper limb and shoulder
36532847	Malignant melanoma in junctional nevus of eyelid
36533016	Malignant melanoma in junctional nevus of skin, NOS
36533239	Blue nevus, malignant of overlapping lesion of skin
36533686	Blue nevus, malignant of skin of upper limb and shoulder
36534975	Balloon cell melanoma of overlapping lesion of skin
36535699	Lentigo maligna melanoma of skin of lip, NOS
36535705	Amelanotic melanoma of skin of lip, NOS
36536386	Blue nevus, malignant of skin of scalp and neck
36536415	Lentigo maligna melanoma of skin of lower limb and hip
36536797	Malignant Spitz tumor of skin of trunk
36537261	Desmoplastic melanoma, NOS, of skin of lower limb and hip
36538436	Desmoplastic melanoma, NOS, of overlapping lesion of skin
36538652	Malignant melanoma in junctional nevus of overlapping lesion of skin
36538697	Amelanotic melanoma of external ear
36538883	Malignant melanoma arising in giant congenital nevus of skin of lip, NOS
36538971	Balloon cell melanoma of skin of upper limb and shoulder
36539718	Malignant melanoma in precancerous melanosis of skin of lower limb and hip
36540636	Desmoplastic melanoma, NOS, of skin of lip, NOS
36540643	Malignant melanoma in precancerous melanosis of overlapping lesion of skin
36542886	Epithelioid cell melanoma of overlapping lesion of skin
36543197	Lentigo maligna melanoma of skin of upper limb and shoulder
36543265	Malignant melanoma in precancerous melanosis of external ear
36543603	Malignant melanoma arising in giant congenital nevus of skin of scalp and neck
36544050	Balloon cell melanoma of eyelid
36544667	Desmoplastic melanoma, NOS, of skin of upper limb and shoulder
36544787	Spindle cell melanoma, NOS, of skin of lower limb and hip
36545191	Nodular melanoma of skin of lower limb and hip
36545723	Malignant melanoma, NOS, of overlapping lesion of skin
36545835	Epithelioid cell melanoma of skin of lip, NOS
36545924	Low cumulative sun damage melanoma of skin of lip, NOS
36546325	Balloon cell melanoma of skin of other and unspecified parts of face
36546648	Malignant Spitz tumor of skin of lip, NOS
36547183	Low cumulative sun damage melanoma of overlapping lesion of skin
36547254	Blue nevus, malignant of skin of lower limb and hip
36549146	Amelanotic melanoma of overlapping lesion of skin
36549966	Malignant Spitz tumor of skin of lower limb and hip
36550489	Malignant melanoma in precancerous melanosis of skin of other and unspecified parts of face

Continued on next page

Table D9 – continued from previous page

Concept ID	Concept name
36551092	Balloon cell melanoma of skin of lip, NOS
36551392	Low cumulative sun damage melanoma of skin of lower limb and hip
36551591	Malignant melanoma in junctional nevus of skin of lip, NOS
36552402	Malignant melanoma, NOS, of skin of upper limb and shoulder
36552448	Blue nevus, malignant of skin of lip, NOS
36553353	Low cumulative sun damage melanoma of skin of upper limb and shoulder
36555212	Malignant melanoma in precancerous melanosis of skin of scalp and neck
36555693	Malignant melanoma in junctional nevus of skin of other and unspecified parts of face
36555705	Malignant Spitz tumor of skin of upper limb and shoulder
36556372	Epithelioid cell melanoma of skin of other and unspecified parts of face
36556552	Balloon cell melanoma of skin of scalp and neck
36557043	Malignant melanoma arising in giant congenital nevus of overlapping lesion of skin
36557414	Acral melanoma of external ear
36558120	Acral melanoma of skin of upper limb and shoulder
36559367	Malignant melanoma, regressing of skin of lip, NOS
36559388	Amelanotic melanoma of eyelid
36559573	Malignant melanoma, regressing of overlapping lesion of skin
36559731	Epithelioid cell melanoma of skin, NOS
36559746	Epithelioid cell melanoma of eyelid
36559941	Spindle cell melanoma, NOS, of skin of upper limb and shoulder
36561208	Epithelioid cell melanoma of skin of upper limb and shoulder
36561552	Spindle cell melanoma, NOS, of overlapping lesion of skin
36563329	Malignant melanoma in junctional nevus of skin of scalp and neck
36563439	Acral melanoma of skin of lower limb and hip
36564259	Malignant melanoma in precancerous melanosis of skin of upper limb and shoulder
36564461	Spindle cell melanoma, NOS, of eyelid
36564549	Malignant melanoma, regressing of skin, NOS
36564904	Malignant melanoma arising in giant congenital nevus of external ear
36565129	Malignant melanoma in junctional nevus of skin of upper limb and shoulder
36565165	Acral melanoma of skin of scalp and neck
36565315	Malignant melanoma in precancerous melanosis of skin of lip, NOS
36565542	Malignant Spitz tumor of skin of scalp and neck
36565544	Malignant melanoma in precancerous melanosis of eyelid
36566011	Epithelioid cell melanoma of skin of lower limb and hip
36566338	Malignant melanoma in precancerous melanosis of skin, NOS
36566436	Malignant Spitz tumor of overlapping lesion of skin
36566825	Malignant melanoma arising in giant congenital nevus of eyelid
36567403	Desmoplastic melanoma, NOS, of eyelid
36567448	Nodular melanoma of overlapping lesion of skin
36712733	Malignant melanoma of skin of left lower limb
37111319	Familial malignant melanoma of skin

Continued on next page

Table D9 – continued from previous page

Concept ID	Concept name
37208039	Malignant melanoma of skin of right upper limb
40486090	Malignant melanoma of skin of anus
40488963	Malignant melanoma of skin of scrotum
40488990	Malignant melanoma of skin of penis
40488993	Malignant melanoma of skin of vulva
42535535	Malignant melanoma of skin of right lower limb
42709764	Malignant melanoma of skin of lower leg
42709765	Malignant melanoma of skin of upper arm
44499518	Nodular melanoma of skin of trunk
44499825	Desmoplastic melanoma, NOS, of skin of other and unspecified parts of face
44499826	Epithelioid cell melanoma of skin of scalp and neck
44499924	Amelanotic melanoma of skin of other and unspecified parts of face
44499925	Malignant melanoma in junctional nevus of external ear
44500152	Malignant melanoma arising in giant congenital nevus of skin of trunk
44500209	Lentigo maligna melanoma of skin of scalp and neck
44500263	Spindle cell melanoma, NOS, of skin of trunk
44500309	Balloon cell melanoma of skin of trunk
44500310	Amelanotic melanoma of skin of trunk
44500373	Low cumulative sun damage melanoma of external ear
44500512	Spindle cell melanoma, NOS, of skin of lip, NOS
44500607	Desmoplastic melanoma, NOS, of skin of scalp and neck
44500608	Spindle cell melanoma, NOS, of skin of scalp and neck
44500678	Desmoplastic melanoma, NOS, of external ear
44500740	Malignant melanoma, regressing of skin of scalp and neck
44500741	Lentigo maligna melanoma of skin of other and unspecified parts of face
44500742	Desmoplastic melanoma, NOS, of skin of trunk
44500804	Malignant Spitz tumor of skin, NOS
44501098	Spindle cell melanoma, NOS, of skin, NOS
44501099	Blue nevus, malignant of skin of trunk
44501359	Low cumulative sun damage melanoma of skin of other and unspecified parts of face
44501418	Spindle cell melanoma, NOS, of skin of other and unspecified parts of face
44501532	Malignant melanoma, NOS, of external ear
44501662	Nodular melanoma of skin of lip, NOS
44501663	Nodular melanoma of external ear
44501808	Lentigo maligna melanoma of external ear
44501809	Acral melanoma of skin of other and unspecified parts of face
44501856	Low cumulative sun damage melanoma of skin of scalp and neck
44501961	Malignant melanoma, regressing of skin of trunk
44501965	Epithelioid cell melanoma of external ear
44502043	Acral melanoma of skin of trunk
44502119	Malignant melanoma, NOS, of skin of scalp and neck
44502120	Nodular melanoma of skin of scalp and neck
44502124	Malignant Spitz tumor of skin of other and unspecified parts of face

Continued on next page

Table D9 – continued from previous page

Concept ID	Concept name
44502294	Lentigo maligna melanoma of eyelid
44502400	Amelanotic melanoma of skin of scalp and neck
44502719	Nodular melanoma of eyelid
44502888	Nodular melanoma of skin of other and unspecified parts of face
44502889	Low cumulative sun damage melanoma of eyelid
44502964	Malignant melanoma in junctional nevus of skin of trunk
44502965	Low cumulative sun damage melanoma of skin of trunk
44503100	Lentigo maligna melanoma of skin of trunk
44503101	Malignant melanoma arising in giant congenital nevus of skin of other and unspecified parts of face
44503102	Epithelioid cell melanoma of skin of trunk
44503103	Spindle cell melanoma, NOS, of external ear
44505119	Blue nevus, malignant of skin, NOS
44505544	Malignant melanoma, NOS, of skin of other and unspecified parts of face

D.6 Multiple sclerosis

Table D10: Multiple sclerosis case concepts.

Concept ID	Concept name
374919	Multiple sclerosis
1340507	Multiple sclerosis acute and progression
3174547	Cognitive dysfunction accompanying multiple sclerosis
4046108	Acute relapsing multiple sclerosis
4101729	Multiple sclerosis of the spinal cord
4102337	Exacerbation of multiple sclerosis
4105353	Multiple sclerosis of the brainstem
4137855	Secondary progressive multiple sclerosis
4145049	Relapsing remitting multiple sclerosis
4178929	Primary progressive multiple sclerosis
4231948	Benign multiple sclerosis
4258676	Malignant multiple sclerosis
35623817	Marburg acute multiple sclerosis
37110514	Progressive relapsing multiple sclerosis
37311816	Progressive multiple sclerosis

D.7 Prostate cancer

Table D11: Prostate cancer direct and advanced case concepts.

Concept ID	Concept name
200962	Primary malignant neoplasm of prostate
764971	Prostate cancer metastatic to eye [†] (non-standard)
1553133	Non-small cell carcinoma of prostate gland
4082919	Endometrioid carcinoma of prostate
4116087	Carcinoma of prostate
4141960	Hormone refractory prostate cancer
4161028	Adenocarcinoma of prostate
4163261	Malignant tumor of prostate
4164017	Squamous cell carcinoma of prostate
4200890	Local recurrence of malignant tumor of prostate
4288534	Small cell carcinoma of prostate [†] (updated)
36517801	Superficial spreading adenocarcinoma of prostate gland
36519069	Schneiderian carcinoma of prostate gland
36519743	Adenocarcinoma in tubulovillous adenoma of prostate gland
36520216	Cloacogenic carcinoma of prostate gland
36520903	Adenocarcinoma with cartilaginous and osseous metaplasia of prostate gland
36524677	Spindle cell carcinoma, NOS, of prostate gland
36528487	Basaloid carcinoma of prostate gland
36529044	Papillary carcinoma, NOS, of prostate gland
36529897	Giant cell and spindle cell carcinoma of prostate gland
36530505	Adenocarcinoma with spindle cell metaplasia of prostate gland
36531450	Squamous cell carcinoma, large cell, nonkeratinizing, NOS, of prostate gland
36532395	Squamous cell carcinoma, microinvasive of prostate gland
36532454	Squamous cell carcinoma, small cell, nonkeratinizing of prostate gland
36533689	Pleomorphic carcinoma of prostate gland
36534013	Squamous cell carcinoma, keratinizing, NOS, of prostate gland
36534105	Squamous cell carcinoma with horn formation of prostate gland
36535056	Adenocarcinoma with squamous metaplasia of prostate gland
36535925	Giant cell carcinoma of prostate gland
36538788	Adenocarcinoma in villous adenoma of prostate gland
36539709	Solid carcinoma, NOS, of prostate gland
36540664	Adenoid cystic carcinoma of prostate gland
36543315	Squamous cell carcinoma, spindle cell of prostate gland
36543338	Villous adenocarcinoma of prostate gland
36543398	Urothelial carcinoma, micropapillary of prostate gland
36544659	Polygonal cell carcinoma of prostate gland
36545616	Glassy cell carcinoma of prostate gland
36547882	Myoepithelial carcinoma of prostate gland
36550033	Acinar cell cystadenocarcinoma of prostate gland
36550618	Scirrhou adenocarcinoma of prostate gland
36550817	Alveolar adenocarcinoma of prostate gland

Continued on next page

Table D11 – continued from previous page

Concept ID	Concept name
36551411	Oxyphilic adenocarcinoma of prostate gland
36552560	Adenocarcinoma with apocrine metaplasia of prostate gland
36552590	Small cell carcinoma, fusiform cell of prostate gland
36553778	Verrucous carcinoma, NOS, of prostate gland
36554023	Basal cell adenocarcinoma of prostate gland
36554139	Tubular adenocarcinoma of prostate gland
36554370	Large cell carcinoma, NOS, of prostate gland
36555690	Epithelial-myoepithelial carcinoma of prostate gland
36556099	Metaplastic carcinoma, NOS, of prostate gland
36557451	Large cell carcinoma with rhabdoid phenotype of prostate gland
36559535	Encapsulated papillary carcinoma with invasion of prostate gland
36559613	Carcinoma with osteoclast-like giant cells of prostate gland
36560590	Clear cell adenocarcinoma, NOS, of prostate gland
36563396	Lymphoepithelial carcinoma of prostate gland
36564577	Duct carcinoma, desmoplastic type of prostate gland
36566340	Medullary carcinoma, NOS, of prostate gland
36566722	Carcinoma, anaplastic, NOS, of prostate gland
36567202	Papillary squamous cell carcinoma of prostate gland
36684947	Metastatic castration-resistant prostate cancer [†] (non-standard)
36712762	Recurrent malignant neoplasm of prostate
36716186	Hormone sensitive prostate cancer
37016740	Prostate cancer metastatic to bone [†] (updated)
37208188	Non-metastatic prostate cancer
37311236	Infiltrating duct carcinoma of prostate
37311683	Acinar cell cystadenocarcinoma of prostate
37395835	Familial prostate cancer
42512260	Sebaceous carcinoma of prostate gland
42512655	Mixed acinar-ductal carcinoma of prostate gland
42512952	Mixed adenoneuroendocrine carcinoma of prostate gland
44499514	Infiltrating duct carcinoma, NOS, of prostate gland
44499641	Papillary adenocarcinoma, NOS, of prostate gland
44499712	Carcinoma, undifferentiated, NOS, of prostate gland
44499734	Papillary urothelial carcinoma of prostate gland
44499820	Adenocarcinoma with neuroendocrine differentiation of prostate gland
44499864	Large cell neuroendocrine carcinoma of prostate gland
44500341	Combined small cell carcinoma of prostate gland
44500459	Signet ring cell carcinoma of prostate gland
44500494	Basal cell carcinoma, NOS, of prostate gland
44500595	Adenocarcinoma with mixed subtypes of prostate gland
44500716	Squamous cell carcinoma, adenoid of prostate gland
44500734	Mixed cell adenocarcinoma of prostate gland
44501195	Transitional cell carcinoma, NOS, of prostate gland
44501350	Mucinous adenocarcinoma of prostate gland
44501528	Mucin-producing adenocarcinoma of prostate gland

Continued on next page

Table D11 – continued from previous page

Concept ID	Concept name
44501627	Neuroendocrine carcinoma, NOS, of prostate gland
44502000	Neoplasm, malignant of prostate gland
44502035	Acinar cell carcinoma of prostate gland
44502766	Small cell carcinoma, NOS, of prostate gland
44503133	Carcinoma, NOS, of prostate gland
44503145	Cribriform carcinoma, NOS, of prostate gland
44503555	Intraductal papillary adenocarcinoma with invasion of prostate gland
44503558	Adenosquamous carcinoma of prostate gland

Table D12: Prostate cancer indeterminate and control-exclusion concepts.

Concept ID	Concept name
192681	Prostatic intraepithelial neoplasia
200970	Carcinoma in situ of prostate
201527	Neoplasm of uncertain behavior of prostate
1553105	Adenosarcoma of prostate gland
1553597	Paraganglioma, NOS, of prostate gland
1553599	Adenocarcinoid tumor of prostate gland
4113119	Carcinoma in situ of prostatic ducts
4283738	Malignant tumor involving prostate by direct extension from bladder
4289381	Malignant tumor involving prostate by separate metastasis from bladder [†] (updated)
4314337	Secondary malignant neoplasm of prostate [†] (non-standard)
36517339	ALK positive large B-cell lymphoma of prostate gland
36518000	Precursor T-cell lymphoblastic leukemia of prostate gland
36519105	Rhabdomyosarcoma, NOS, of prostate gland
36519333	Solitary fibrous tumor, malignant of prostate gland
36520178	Neuroendocrine tumor, NOS, of prostate gland
36521407	B lymphoblastic leukemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1) of prostate gland
36521611	Langerhans cell histiocytosis, disseminated of prostate gland
36522370	Fibrosarcoma, NOS, of prostate gland
36522940	Malignant fibrous histiocytoma of prostate gland
36524219	B lymphoblastic leukemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1) of prostate gland
36525240	Rhabdoid tumor, NOS, of prostate gland
36525551	Malignant tumor, spindle cell type of prostate gland
36525831	Mixed type rhabdomyosarcoma of prostate gland
36526468	Sarcoma, NOS, of prostate gland
36527397	Neuroblastoma, NOS, of prostate gland
36527764	Intravascular large B-cell lymphoma of prostate gland
36527975	Squamous cell carcinoma in situ with questionable stromal invasion of prostate gland

Continued on next page

Table D12 – continued from previous page

Concept ID	Concept name
36528448	B lymphoblastic leukemia/lymphoma with t(v;11q23); MLL rearranged of prostate gland
36529320	Ectomesenchymoma of prostate gland
36531255	Marginal zone B-cell lymphoma, NOS, of prostate gland
36531262	Undifferentiated sarcoma of prostate gland
36531690	B lymphoblastic leukemia/lymphoma, NOS, of prostate gland
36533342	Epithelioid sarcoma, NOS, of prostate gland
36534262	Urothelial carcinoma, sarcomatoid of prostate gland
36534955	Papillary carcinoma in situ, NOS, of prostate gland
36535181	B lymphoblastic leukemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1 of prostate gland
36536835	Malignant peripheral nerve sheath tumor, NOS, of prostate gland
36538823	Epithelioma, malignant of prostate gland
36539639	Myosarcoma of prostate gland
36540099	Malignant tumor, giant cell type of prostate gland
36540394	T-cell large granular lymphocytic leukemia of prostate gland
36540523	Cribiform carcinoma in situ of prostate gland
36540790	B lymphoblastic leukemia/lymphoma with hypodiploidy (Hypodiploid ALL) of prostate gland
36540985	Choriocarcinoma, NOS, of prostate gland
36542383	Squamous cell carcinoma in situ, NOS, of prostate gland
36543006	Carcinosarcoma, NOS, of prostate gland
36543214	HHV8 positive diffuse large B-cell lymphoma of prostate gland
36543289	Myeloid or lymphoid neoplasm with FGFR1 abnormalities of prostate gland
36543452	Myeloid or lymphoid neoplasm with PDGFRA rearrangement of prostate gland
36544527	T-cell/histiocyte rich large B-cell lymphoma of prostate gland
36544648	Yolk sac tumor, NOS, of prostate gland
36545389	B lymphoblastic leukemia/lymphoma with hyperdiploidy of prostate gland
36545805	Myxofibrosarcoma of prostate gland
36545971	Glandular intraepithelial neoplasia, high grade of prostate gland
36545982	B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma of prostate gland
36546114	Infantile fibrosarcoma of prostate gland
36546708	Adenocarcinoma in situ in tubulovillous adenoma of prostate gland
36547024	Hemangiosarcoma of prostate gland
36547390	Systemic EBV positive T-cell lymphoproliferative disease of childhood of prostate gland
36547431	Seminoma, NOS, of prostate gland
36548533	Carcinosarcoma, embryonal of prostate gland
36548625	Adenocarcinoma in situ in villous adenoma of prostate gland
36550323	Leiomyosarcoma, NOS, of prostate gland
36550674	Plasmablastic lymphoma of prostate gland
36551235	Myxoid leiomyosarcoma of prostate gland

Continued on next page

Table D12 – continued from previous page

Concept ID	Concept name
36552151	Small cell sarcoma of prostate gland
36552989	Fascial fibrosarcoma of prostate gland
36554563	Teratocarcinoma of prostate gland
36556846	Myeloproliferative neoplasm, unclassifiable of prostate gland
36558122	Spindle cell rhabdomyosarcoma of prostate gland
36558501	Stromal sarcoma, NOS, of prostate gland
36559400	B lymphoblastic leukemia/lymphoma with t(5;14)(q31;q32); IL3-IGH of prostate gland
36559448	Chondrosarcoma, NOS, of prostate gland
36559668	Nephroblastoma, NOS, of prostate gland
36563308	Malignant melanoma, NOS, of prostate gland
36563529	Pleomorphic rhabdomyosarcoma, adult type of prostate gland
36564066	Malignant tumor, clear cell type of prostate gland
36564328	Fibroblastic reticular cell tumor of prostate gland
36564340	Epithelioid leiomyosarcoma of prostate gland
36565415	Pseudosarcomatous carcinoma of prostate gland
36565427	Desmoplastic small round cell tumor of prostate gland
36566280	Angiomyosarcoma of prostate gland
36567912	Spindle cell sarcoma of prostate gland
36568174	Tumor cells, malignant of prostate gland
40486666	Non-Hodgkin's lymphoma of prostate
40488897	Diffuse non-Hodgkin's lymphoma of prostate
40488901	Follicular non-Hodgkin's lymphoma of prostate
40489289	Low grade prostatic intraepithelial neoplasia
40489291	High grade prostatic intraepithelial neoplasia
42511841	Extra-adrenal paraganglioma, NOS, of prostate gland
42512377	Paget disease, extramammary of prostate gland
42512398	Myofibroblastic sarcoma of prostate gland
42512430	Follicular lymphoma, NOS, of prostate gland
42512688	Diffuse large B-cell lymphoma, NOS, of prostate gland
44499799	Urothelial carcinoma in situ of prostate gland
44500839	Carcinoma in situ, NOS, of prostate gland
44500910	Malignant lymphoma, non-Hodgkin, NOS, of prostate gland
44501366	Alveolar rhabdomyosarcoma of prostate gland
44501968	Giant cell sarcoma of prostate gland
44502092	Adenocarcinoma in situ, NOS, of prostate gland
44502350	Embryonal rhabdomyosarcoma, NOS, of prostate gland
45769849	Prostatic intraepithelial neoplasia and adjacent atypia

D.8 Testicular cancer

Table D13: Testicular germ cell tumor and broad-malignancy case concepts.

Concept ID	Concept name
433716	Primary malignant neoplasm of testis
436054	Primary malignant neoplasm of undescended testis
619381	Primary malignant neoplasm of left testis
619382	Primary malignant neoplasm of right testis
619383	Bilateral primary malignant neoplasm of testes
4003028	Primary malignant neoplasm of descended testis
4092524	Malignant tumor of undescended testis
4095164	Malignant tumor of ectopic testis
4114339	Seminoma of testis
4133189	Mixed seminoma teratoma of testis
4177115	Malignant tumor of testis
4193703	Seminoma of descended testis
4197601	Seminoma of undescended testis
4217083	Malignant teratoma of undescended testis
4219402	Malignant teratoma of descended testis
4220146	Malignant teratoma of testis
4306529	Seminoma of testis, stage 3
4309671	Seminoma of testis, stage 2
4309811	Seminoma of testis, stage 1
4313771	Seminoma of testis, stage 4
35610170	Malignant neoplasm of descended testis
36521552	Polyembryoma of undescended testis
36524505	Malignant teratoma, undifferentiated of undescended testis
36525037	Malignant teratoma, intermediate of testis, NOS
36530105	Malignant teratoma, trophoblastic of testis, NOS
36532477	Teratoma with malignant transformation of undescended testis
36533891	Teratoma with malignant transformation of testis, NOS
36540915	Malignant teratoma, trophoblastic of undescended testis
36546145	Polyembryoma of testis, NOS
36547010	Teratoma with malignant transformation of descended testis
36547066	Yolk sac tumor, NOS, of undescended testis
36547328	Polyembryoma of descended testis
36547800	Malignant teratoma, trophoblastic of descended testis
36549712	Malignant teratoma, intermediate of undescended testis
36550324	Malignant teratoma, undifferentiated of testis, NOS
36553786	Malignant teratoma, intermediate of descended testis
36554633	Malignant teratoma, undifferentiated of descended testis
36558353	Seminoma, anaplastic of undescended testis
36568342	Choriocarcinoma, NOS, of undescended testis
36712742	Primary seminoma of left testis
36712743	Primary seminoma of right testis

Continued on next page

Table D13 – continued from previous page

Concept ID	Concept name
36715833	Primary choriocarcinoma of testis
36717487	Primary embryonal carcinoma of testis
37016122	Non-seminomatous germ cell neoplasm of testis
37017381	Malignant germ cell tumor of testis
44498978	Choriocarcinoma combined with other germ cell elements of undescended testis
44499767	Yolk sac tumor, NOS, of descended testis
44500520	Teratocarcinoma of descended testis
44500690	Seminoma, anaplastic of testis, NOS
44500691	Germ cell tumor, nonseminomatous of descended testis
44500898	Teratocarcinoma of undescended testis
44500899	Teratocarcinoma of testis, NOS
44500948	Choriocarcinoma, NOS, of descended testis
44501541	Seminoma, anaplastic of descended testis
44501817	Mixed germ cell tumor of descended testis
44502187	Embryonal carcinoma, NOS, of descended testis
44502561	Choriocarcinoma combined with other germ cell elements of testis, NOS
44502839	Choriocarcinoma combined with other germ cell elements of descended testis
44502897	Embryonal carcinoma, NOS, of undescended testis
44503172	Yolk sac tumor, NOS, of testis, NOS
44505590	Germinoma of undescended testis
44505591	Germ cell tumor, nonseminomatous of undescended testis
44505594	Mixed germ cell tumor of undescended testis
44505600	Germinoma of descended testis
44505610	Germinoma of testis, NOS